


# Lincoln's Individual Lot Construction Stormwater Program

Terry Ullsperger, CISEC  
Engineering Associate  
City of Lincoln Watershed  
Management



# Lincoln, Nebraska



Lincoln's population in 2012 was estimated at 265,404. and covers 90.36 square miles

# Lincoln's Erosion & Sediment Control Ordinance Chapter 28.01

## REGULATIONS FOR CONSTRUCTION SITE DISCHARGES

- Revised in 2007 to reflect State, and Federal Guidelines
- Included provisions for the “Building Phase of Development”



# Requirements for the Building Phase of Development

## 28.01.070 Building Permit.

Any person who engages in construction activity is responsible for compliance with this chapter and all applicable terms and conditions of the Permit and SWPPP as it relates to any land disturbance less than one acre of total land area that is part of a common plan of development or sale, otherwise known as the building phase of development.

## **Construction Activity**

shall mean any land disturbance of one acre or more of total land area and any land disturbance of less than one acre of total land area that is part of a common plan of development or sale.

## **Common Plan of Development or Sale**

shall mean a contiguous area where multiple separate and distinct land disturbing activities may be taking place at different times, on different schedules, but are covered under one SWPPP under the control of the permittee.

# INOI/SWPPP for Individual Lots

- **Individual Lot Notice of Intent (ILNOI)** shall mean the permit application for authorization to discharge stormwater under the current NPDES General Permit for construction activity less than one acre of total land area that is part of a common plan of development or sale.

## \*Permit Applicant must

- **Provide the Construction Stormwater Permit number** for the development if the building phase of development for individual lots is covered under one Stormwater Pollution Prevention Plan (SWPPP) that is submitted by and under the control of the developer.

## \*OR

- **Submit two copies of a Individual Lot Notice of Intent (INOI) and SWPPP, including a site plan,** for the individual lot on the form provided by the City. Submission of this form supersedes any prior INOI and SWPPP for the lot indicated in the application and the applicant assumes sole responsibility for the building phase of development for this lot.



# Individual Lot SWPPP

## Stormwater Pollution Prevention Plan

Applicant initials  
understanding terms and  
conditions of the SWPPP



## Individual Lot SWPPP Stormwater Pollution Prevention Plan) for Coverage Under the Federal Clean Water Act For Construction Activity that is Part of a Larger Common Plan of Development or Sale

Initial on each line to indicate that you have read and understand the following:

1. \_\_\_ I have used:  Site Plan A  Site Plan B  Site Plan C  My Own Site Plan (select one), annotated as needed, in order to fulfill the SWPPP requirements set forth in Lincoln Municipal Code, Chapter 28.01.
2. \_\_\_ All BMPs will be constructed, installed, and maintained according to the minimum standards and specifications set forth in either Chapter 9 of the City's Drainage Criteria Manual, the NPDES General Permit, or otherwise approved by the Director, and will be in place and in working order prior to any construction activity.
3. \_\_\_ BMPs will be installed, operated and maintained to protect streams, rivers, ponds, and wetlands from sedimentation and a spill prevention plan will be followed for any spills or illicit discharges that may leave the site.
4. \_\_\_ Proposed BMPs are shown on the attached Site Plan. The construction details, application schedule, procedures, operations, and maintenance of the proposed BMPs are in conformance with Chapter 9 of the City's Drainage Criteria Manual.
5. \_\_\_ If applicable, any features of the site that are vulnerable to erosion, as well as BMPs implemented for these features are shown on the attached Site Plan.
6. \_\_\_ All BMPs will be inspected by qualified personnel at least once every seven calendar days during active construction and within twenty-four hours after any storm event greater than 0.5 inches during a 24-hour period. Any necessary repairs or clean-up to maintain the effectiveness of the BMPs shall be made prior to the next storm event whenever practicable. If implementation before the next storm event is impracticable, the situation will be documented in the Site Plan and alternative BMPs will be implemented as soon as possible.
7. \_\_\_ Sediment deposited into or upon any street, alley, sidewalk, public way, storm drainage system, or public ground will be removed within a reasonable period of time. A contingency plan will be implemented for unforeseen erosion or sediment problems, including emergency situations caused by storms.
8. \_\_\_ Following any construction activity, final or temporary stabilization shall be completed as soon as practicable, but in no case more than fourteen days, to the surface of all perimeter controls, topsoil stockpiles, and any other disturbed or graded areas on the project site which are not being used for material storage, or on which actual construction activity is not being performed.
9. \_\_\_ Either the lot will be stabilized by the builder at the end of construction, or the homeowner will be informed of the need for final stabilization.
10. \_\_\_ This form will either be posted at the construction site or made available upon request within a reasonable time.

# Individual Lot Site Plan Type A

Lot slopes to one side

**Site Plan for Individual Lots**  
**Type A**  
Not to Scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.

The diagram illustrates a site plan for an individual lot. It shows a dashed line representing the property line. Inside the property line, there is a hatched area labeled 'House footprint'. To the right of the house footprint is a circular area labeled 'Topsoil Stockpile'. A dashed line labeled 'Sediment Control (typical) (silt fence or other BMP)' runs along the lower side of the property line. Another dashed line labeled 'Sediment Control (typical) (silt fence or other BMP)' runs along the upper side of the property line. Arrows indicate the 'Direction of surface water runoff' from the top and bottom of the property. A 'Stone Construction Entrance (# necessary)' is shown at the bottom left. A note says 'Place stock piled soil behind sediment control measures'. Another note says 'Clean Streets No sediment in the street' at the bottom right. The property line is labeled 'Property Line' on both the left and right sides.

DATE PREPARED: \_\_\_\_\_  
NAME of PREPARER: \_\_\_\_\_

**DISCLAIMER:** Neither the City of Lincoln nor the Lower Platte South Natural Resource District incurs any liability for the use or misuse of this site plan.

# Individual Lot Site Plan Type B

Lot slopes  
to the front  
and back

## Site Plan for Individual Lots


Type B

Not to Scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.



DATE PREPARED: \_\_\_\_\_

NAME of PREPARER: \_\_\_\_\_

DISCLAIMER: Neither the City of Lincoln nor the Lower Platte South Natural Resource District incurs any liability for the use or misuse of this site plan.

# Individual Lot Site Plan Type C

Lot slopes to the front

## Site Plan for Individual Lots


Type C

Not to scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.



DATE PREPARED: \_\_\_\_\_

NAME of PREPARER: \_\_\_\_\_

DISCLAIMER: Neither the City of Lincoln nor the Lower Platte South Natural Resource District incurs any liability for the use or misuse of this site plan.



Why regulate small sites? 06.27.2008 13:11



UM?




A photograph of a construction site on a cloudy day. A wide, muddy dirt road with deep tire tracks runs from the foreground towards the background. On the left side of the road, there is a large pile of dark brown earth. In the middle ground, several cars and a white van are parked on the dirt. On the right side, a large orange excavator is partially visible. In the background, there are several houses, some with dark roofs and others with lighter siding. The overall scene suggests a messy or unorganized construction area.

**Seriously?**

A silver SUV is driving away from the camera on a muddy, rutted road. The road is heavily eroded, with deep channels of water and mud. In the background, there are several houses with balconies and green lawns. The scene is a warning about safety in residential areas with poor road conditions.

**SAFETY!**





Sediment in the Public right-of-way or Storm Drain?

# Potential for future Violation?



# Off Pavement Traffic



Channels  
water  
directly to  
the street



# Offsite Materials



**Improper Stockpile Placement**





# Winter Condition Trackout



# Lincoln City Ordinance 28.01

## Enforcement options

### Notice to Comply

First Offence of non-egregious violation history of complying in a timely manner, evidence of self compliance (positive SWPPP attitude)

### Notice of Violation

Egregious and/or environmental threatening violation, repeat violations and/or violators, evidence of deliberate noncompliance (negative SWPPP attitude)

### Request for Enforcement

Refers initial violations or noncompliance within the ten day correction period to law for prosecution

### Inspection Hold

Stops all Building and Safety inspections. Issued to sites that have not obtained the proper small site permit or have not complied with the ten day correction period

### Stop Work Order

Issued to sites working without a permit or when conditions warrant immediate stoppage

# Notification of Enforcement

1. Post a **Notice to Comply** at the site and call the builder

*If no contact and/or compliance after the 10 day correction period*

2. Place Lot on **Inspection HOLD** with Building and Safety

3. Periodic inspections (*lot stays on **HOLD** until compliant*).

4. Draft a **Notice of Violation** and send to the builder

*if no contact and/or compliance after the 10 day correction period*

5. Draft a **Request for Enforcement** packet and send to law for prosecution

# Lincoln City Ordinance 28.01

## Enforcement Penalties

### **28.01.127 Notice to Comply for Corrective Action.**

Any person who receives a Notice to Comply from the City shall correct such violation(s) within ten working days of receiving such notice. Failure to correct the violation(s) within ten working days shall be cause for issuance of a Notice of Violation and **Penalty Enforcement referral to the City Law Department** pursuant to Section 28.01.125.

The City also reserves the right to take any administrative action required to correct the violation(s), including but not limited to , **issuance of a stop work order, assessment of a reinspection fee, suspension or revocation of the permit**, or other remedy provided by law. Nothing herein shall be construed to prohibit the City from issuing a Notice of Violation and Penalty Enforcement pursuant to Section 28.01.125 even though it has not previously issued a Notice to Comply under this section.

To verify compliance with a Notice to Comply, the City shall be notified within the ten-day correction period and may reinspect the site. In lieu of reinspection by the City, it is acceptable to submit to the City dated photographic and written evidence that verifies a return to compliance. A **reinspection fee of \$75.00** may be assessed for any site for which such evidence has not been provided within the ten-day correction period or for which evidence has been provided that does not reflect actual conditions at the site or which has been falsified. Nonpayment of such fee is a violation of this chapter. Whenever a person refuses or neglects to correct the violation, the Director may cause the same to be corrected and the expense shall be recoverable in an action at law. (Ord. 19671 §14; February 6, 2012).

# Lincoln City Ordinance 28.01

## Enforcement Penalties

### **28.01.125 Notice of Violation and Penalty Enforcement.**

Any person who receives a Notice of Violation from the City and has violated this chapter shall be deemed guilty of a misdemeanor and upon conviction thereof shall be punished by a **fine in the sum of not less than \$100.00 and not more than \$500.00 per day**. In the case of a continuing violation, each day shall constitute a separate offense. (Ord. 19671 §13; February 6, 2012).

### **28.01.100 Sediment in Public Right-of-Way or Storm Drainage System; Notice to Remove; Penalty.**

No person shall deposit sediment into or upon any street, alley, sidewalk, public way, storm drainage system, or public ground as a result of tracking, runoff or other erosion and sedimentation from a building or development site. In addition to the penalty provided in Section 28.01.125, the responsible person shall remove the same within a reasonable period of time as required by the City. Whenever the person responsible for sediment deposited into or upon any street, alley, sidewalk, public way, storm drainage system, or public ground refuses or neglects to remove the same, the City may **elect to remove the sediment and the expense of such removal shall be recoverable in an action at law**. The remedy provided in this section shall be in addition to the penalty hereinafter provided and cumulative therewith. If the City or the Lower Platte South Natural Resources District Determines that the conditions described above constitute an immediate nuisance and hazard to public safety, the City shall issue a written notice to abate and remove such nuisance or hazard within twenty-four hours. If such person responsible shall have failed or refused to abate and remove such nuisance at the expiration of twenty-four hours from delivery of notice, the City may remove such nuisance and the expense of such removal shall be recoverable in an action at law against the person responsible. (Ord. 19671 §10; February 6, 2012; prior Ord. 18949 §10; June 25, 2007).

# Individual Lot Notice of Intent Notice to Comply

WRITEN AND LEFT ON SITE.  
Builder called and informed of  
violation(s) and NTC issued

## INDIVIDUAL LOT NOTICE OF INTENT NOTICE TO COMPLY

(Date)

(Cognizant Official)

(Permittee; e.g. Company Name)

(Street Address)

Lincoln, NE

(Zip Code)

(Construction Activity site with Street Address and NOI Number)

A representative of the City of Lincoln conducted an inspection of the above named construction site pursuant to Lincoln Municipal Code Chapter 28.01.100 and the following violations were noted:

- Sediment in the Public Right-of-Way or Storm Drainage System (28.01.100).** *Sediment is leaving the site and being deposited into the street and/or storm drain.*
- Requirements for Construction Activity Stormwater Pollution Prevention Plan (28.01.060).** Unless otherwise indicated, all BMP's will be constructed, installed, and maintained, and will be in place and in working order prior to any construction activity. No BMP's on site to prevent vehicle track out and sediment from leaving the site as indicated on the Individual Lot Notice of Intent
- \_\_\_\_\_

**These violations require corrective action within ten working days of receiving this Notice to Comply.** Failure to correct the violations within ten working days shall be cause for an enforcement action by the City, including but not limited to, issuance of a stop work order, assessment of a reinspection fee, suspension or revocation of the permit, imposition of a penalty, or a hold on Building and Safety inspections.

To verify compliance, the City shall be notified within the **ten-day correction period** of any corrections and may reinspect the site. In lieu of reinspection by the City, it is acceptable to submit or e-mail to the City dated photographic and written evidence that verifies a return to compliance. **A reinspection fee of \$75.00 may be assessed for any site that has not provided such evidence within the ten-day correction period, or has provided evidence that does not reflect actual conditions at the site, or which have been falsified.**

Be advised that meeting the above requirements does not prevent the City from pursuing penalties for these violations of up to \$500.00 per day. In the case of a continuing violation, each day shall constitute a separate offense.

Please direct your response and any questions regarding this Notice to Comply to Terry Ullsperger at the Watershed Management Division at 402-430-6099.

Terry Ullsperger, CISEC, Engineering Specialist  
Watershed Management  
Public Works & Utilities Department  
901 N 6th Street / Lincoln NE 68508  
cell: 402-430-6099 / fax: 402-441-8194  
tullsparger@lincoln.ne.gov

# Winter Condition Individual NOI Notice to Comply

Written and left on site

“These violations require corrective action at the first available opportunity based on weather conditions”



## WINTER CONDITION INDIVIDUAL NOI NOTICE TO COMPLY

Date \_\_\_\_\_

A representative of the City of Lincoln conducted an inspection of this construction site pursuant to Lincoln Municipal Code Chapter 28.01.100 and the following violations were noted:

- Sediment in the Public Right-of-Way or Storm Drainage System (28.01.100). *Sediment leaving the site and being deposited in the street and/or stormdrain.*
- Requirements for Construction Activity Stormwater Pollution Prevention Plan (28.01.060). Unless otherwise indicated, all BMPs will be constructed, installed, and maintained, and will be in place and in working order prior to any construction activity. *No BMP's on site to prevent vehicle track out and sediment from leaving the as indicated on the Individual Lot notice of intent.*
- \_\_\_\_\_

**These violations require corrective action at the first available opportunity based on weather conditions.** Failure to correct the violations within a timely manner shall be cause for an enforcement action by the City, including but not limited to, assessment of a reinspection fee, a hold on Building and Safety inspections, suspension or revocation of the permit, imposition of a penalty.

To verify compliance, **the City shall be notified when corrections are completed** and may reinspect the site. In lieu of reinspection by the City, it is acceptable to submit or e-mail to the City dated photographic and written evidence that verifies a return to compliance. A reinspection fee of \$75.00 may be assessed for any site that has not provided such evidence within the ten-day correction period or has provided evidence that does not reflect actual conditions at the site or which have been falsified.

Be advised that meeting the above requirements does not prevent the City from pursuing penalties for these violations of up to \$500.00 per day. In the case of a continuing violation, each day shall constitute a separate offense.

Please direct your response and any questions regarding this Notice to Comply to Terry Ullsperger, CISEC Engineering Specialist, Watershed Management Public Works & Utilities Department 901 N. 6th Street, Lincoln, NE 68508  
[ullsparger@lincoln.ne.gov](mailto:ullsparger@lincoln.ne.gov)  
402-430-6099

# 24 Hour / Two Day Notice

Used for sediment in the public right-of-way causing immediate hazard



\_\_\_\_\_  
(Date of Issue) (Inspector)

ISSUED TO: \_\_\_\_\_  
(Responsible Person)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Company Address)

**VIOLATION:**  
**SEDIMENT IN THE PUBLIC RIGHT-OF-WAY OR**  
**STORM DRAINAGE SYSTEM CAUSING**  
**IMMEDIATE NUISANCE AND/OR HAZARD TO**  
**PUBLIC SAFETY**

**LOCATION OF THE VIOLATION:**

\_\_\_\_\_  
(Description of Construction Site)

**BASIS FOR NOTICE TO REMOVE:**  
Lincoln Municipal Code Chapter 28.01.100 states in relevant part that any person responsible for sediment deposited into or upon any street, alley, sidewalk, public way, storm drainage system, or public ground as a result of tracking, runoff, or other erosion and sedimentation from a building or development site, shall remove the same within a reasonable period of time as required by the City or the Lower Platte South Natural Resources District. If the City or the Lower Platte South Natural Resources District determines that the conditions constitute an immediate nuisance and hazard to public safety, the City shall issue a written notice to abate and remove within twenty-four hours.

**REMOVAL IS REQUIRED WITHIN 24 HOURS**  
Failure to remove the sediment from the public right-of-way or storm drainage system within 24 hours shall be cause for an enforcement action by the City, including cost-recovery for removal by the City, a notice of violation, and/or penalties of up to \$500.00 per day of the violation.

Please direct any response or inquiries regarding this Notice to Remove to:

- Terry Ullsperger, City of Lincoln/Watershed Management Division, 402-430-6099
- JB Dixon, Lower Platte South Natural Resources District, 402-476-2729
- Mandi Conway, City of Lincoln/Watershed Management Division, 402-441-7075

# 24 Hr. & Two Day Notice to Remove

used for Sediment in the Public right-of-way

**WRITEN AND LEFT ON SITE.**  
**Builder called and informed of violation(s) and Notice issued**

\_\_\_\_\_  
(Date of Issue) (Inspector)

ISSUED TO: \_\_\_\_\_  
(Responsible Person)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Company Address)

**VIOLATION:**  
**SEDIMENT IN THE PUBLIC RIGHT-OF-WAY OR**  
**STORM DRAINAGE SYSTEM**

**LOCATION OF THE VIOLATION:**

\_\_\_\_\_  
(Description of Construction Site)

**BASIS FOR NOTICE TO REMOVE:**  
Lincoln Municipal Code Chapter 28.01.100 states in relevant part that any person responsible for sediment deposited into or upon any street, alley, sidewalk, public way, storm drainage system, or public ground as a result of tracking, runoff, or other erosion and sedimentation from a building or development site, shall remove the same within a reasonable period of time as required by the City or the Lower Platte South Natural Resources District.

**REMOVAL IS REQUIRED WITHIN 48 HOURS**  
Failure to remove the sediment from the public right-of-way or storm drainage system within 48 hours shall be cause for an enforcement action by the City, including cost-recovery for removal by the City, a notice of violation, and/or penalties of up to \$500.00 per day of the violation.

Please direct any response or inquiries regarding this Notice to Remove to:

- Terry Ullsperger, City of Lincoln/Watershed Management Division, 402-430-6099
- JB Dixon, Lower Platte South Natural Resources District, 402-476-2729
- Mandi Conway, City of Lincoln/Watershed Management Division, 402-441-7075

# Construction Debris not contained





# Flooding caused by Construction Debris



# TEN DAY NOTICE OF VIOLATION

Issued on site for  
improper disposal of  
construction site  
waste materials and  
debris

## TEN DAY NOTICE OF VIOLATION

\_\_\_\_\_  
(Date of Issue) (Inspector)

**ISSUED TO:** \_\_\_\_\_  
(Responsible Person)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Company Address)

**VIOLATION:**  
**IMPROPER DISPOSAL OF CONSTRUCTION SITE  
WASTE MATERIALS AND DEBRIS**

**LOCATION OF THE VIOLATION:**

\_\_\_\_\_  
(Description of Construction Site)

**BASIS FOR NOTICE TO REMOVE:**

Failure to effectively or properly maintain Best Management Practices (BMPs) on the construction site is a violation of Lincoln Municipal Code 28.01.050(f) and 28.01.110. As a condition of your Construction Stormwater Permit, you are required to keep a clean site; disposing of construction site waste materials and debris in a dumpster or other containment device.

**COMPLIANCE IS REQUIRED WITHIN 10 DAYS**

Failure to clean up and contain the construction site waste materials and debris within 10 days shall be cause for an enforcement action by the City, including, a stop work order, assessment of a reinspection fee, suspension or revocation of the permit, or imposition of a penalty of up to \$500.00 per day. In the case of a continuing violation, each day shall constitute a separate offense.

To verify compliance, you may submit dated photographic and written evidence to the City.

Please direct any response or inquiries regarding this Notice of Violation to:

- Terry Ullsperger, City of Lincoln/Watershed Management Division, 402-430-6099
- JB Dixon, Lower Platte South Natural Resources District, 402-476-2729
- Mandi Conway, City of Lincoln/Watershed Management Division, 402-441-7075

# Good Examples



Placing silt fence with J-hooks or "smiles" slows down flows and adds strength to the installation.

**T-Post with Silt Fence Attached to Post**  
No Scale

**Silt Fence Trenched In**  
No Scale

**Berm**  
No Scale

Excavated soil on site can be used to create a berm to contain sediment on site. A builder can create a temporary depression with a berm to be used to contain concrete truck washout. Berms should be twice as wide as they are high.



**Curb Cut Back**  
No Scale

Curb cutbacks allow water to pond behind the curb and gutter. The cut could be as wide as a skid steer bucket. The depth of the cut should be no more than 4 inches. Any excavated soil must be returned for final grading.

**SILT FENCE AND GRADING INSTALLATION**




# Not so Good Examples



# Best Management Practices Handbook

Educational tool put together by City of Lincoln, Watershed Management. available at the Building and Safety Permit Review Counter and City training exercises.

Limited number are available



# *For More Information*

- City of Lincoln Watershed Management
  - [www.lincoln.ne.gov](http://www.lincoln.ne.gov) (Keyword: mud)
- Nebraska Dept. of Environmental Quality
  - [www.ndeq.state.ne.us](http://www.ndeq.state.ne.us)
- Lower Platte South NRD
  - [www.lpsnrd.org](http://www.lpsnrd.org) (Keyword: Stormwater)
- Homebuilders Association of Lincoln
  - [www.hbal.org](http://www.hbal.org)

***Questions?***  
***Comments?***