



# VILLAGE GARDENS

THE ART OF *Traditional Living*

Planned Unit Development District

## DEVELOPMENT

### PLAN

April 18, 2012

INTRODUCTION

THE REGULATING PLAN

R-3 AND B-3 LAND USES

THE TRANSECT ZONE MATRICES

LOT & BUILDING STANDARDS

SIGNAGE & PARKING STANDARDS

REGULATORY MODIFICATIONS

PUD MAP SHEETS

GLOSSARY

## INTRODUCTION

Village Gardens is designed to promote a balance of community and private life in an affordable, attractive and sustainable setting. Plan elements include a diversity of housing – from grand homesteads to small cottages and apartments – an active public realm in the Village Center and Neighborhood Centers, and a network of picturesque streets, trails and open space.

The Village Gardens Development Plan (“Development Plan”) codify the Village Garden’s principles and help assure a satisfactory level of quality in the implementation of a diverse, attractive and healthy community. The Development Plan regulates the design of streets, public spaces, landscape and buildings with sufficient flexibility to foster creativity and diversity—and will result in a place designed by many minds, hands and hearts. The Development Plan also helps build an understanding of the relationship between community space and private property.

This project is unique and different for the City of Lincoln developing area. Use limitations and other regulations of the underlying zoning district and other regulatory chapters of the Lincoln Municipal Code (“LMC”) shall apply, unless specially modified by this Development Plan.

The Village Gardens Development Plan is comprised of the following components: Introduction, the Regulating Plan, the R-3 and B-3 Land Uses, the Transect Zone Matrices, the Lot & Building Standards, the Regulatory Modifications, the PUD Map Sheets and Glossary. The Glossary is a definition of terms located at the end of this document for ease of use and understanding. These Development Plan components modify the use limitations and regulations of the LMC. The Development Plan is designed to regulate buildings on private properties to shape the public realm and help create quality streets, plazas, parks and other public spaces.

## PUD Requirements, Construction and Amendments

The Village Gardens PUD is authorized and approved as planned unit development district pursuant to Chapter 27.60 of the Lincoln Municipal Code, as may be amended from time to time. A separate special permit or use permit is not necessary or required to permit any special permitted use or use permit use. This Village Gardens PUD will replace any required special permit or use permit under the LMC and any applicable ordinances, regulations, codes, and design standards.

After approval of the Village Gardens PUD, building permits, certificates of occupancy and final plats of the property will be issued or approved upon general compliance with the Development Plan as approved, or as amended. In circumstances where there are minor variations from the Development Plan, the Planning Director or his designee, shall review the proposal and determine if the proposal is in general conformance with the spirit and intent of the approved Village Gardens PUD.

After the City Council has approved the Village Gardens PUD, the Planning Director is authorized to approve amendments pursuant to 27.60.060 LMC.

## The Transect Zoning Classification

The Transect is a planning categorization system that organizes the elements of the built environment on a scale from rural to urban. Developed by Andres Duany and his firm Duany–Plater-Zyberk Town Planners (DPZ), the Transect (which is inspired by a conservation biology tool for studying the changes and diversity in vegetation and habitat along a line drawn across ecosystems) provides a regulatory structure that utilizes zoning categories based on the concept of immersive environments. Here, all of the elements of the human environment work as self-sustaining, interdependent subsystems, each with distinct characteristics and behavior patterns.

The Transect has several zones, from the rural open space neighborhood edge, to the village center. The transition zone between the surrounding rural landscape and Village Gardens is called the Neighborhood Edge zone. The Neighborhood Edge zone consists of single-family homes on larger lots.

The Neighborhood General zone, the largest zone in most neighborhoods, is primarily residential, but is more urban in character. In comparison with the Neighborhood Edge zone, it includes higher density with a range of housing types from medium sized single-family houses to townhouses.

The Neighborhood Center zone is typically located around a neighborhood park and functions as the social center of a neighborhood. Limited retail, office and civic uses complement higher density residential uses.

The Village Center will be the development's commercial core. A mixed-use zone, it allows for a mix of commercial and high-density residential uses.

## **The Master Plan**

The Master Plan is a visual reference map of Village Gardens that provides the conceptual and vision plan for the entire Village Gardens development. This provides information on street connectivity, future parks, and pathways for the development. See The Master Plan (Conceptual). Yet, like any visionary plan, it is subject to change as future phases of development are brought forth for approval.

## **The Regulating Plan**

The Regulating Plan is a graphic reference map of Village Gardens and identifies the boundaries of the Village Gardens PUD district. In addition, the Regulating Plan illustrates the private areas and public rights-of-way to the Transect Zones and the Lot & Building Standards. The Regulating Plan provides specific information on each building and/or lot, and describes the relationship of each lot to the public realm (the streets, parks, pathways, etc.) and the surrounding environment.

## **The R-3 and B-3 Land Uses**

The R-3 and B-3 Land Uses denote the specific uses that are appropriate to the R-3 and B-3 districts. The basis of this section is the City of Lincoln Municipal Code.

## **The Transect Zone Matrices**

### **Land Use Types Matrix**

The Land Uses Types Matrix describes the permitted uses within each Transect Zone, complementary to the goals of developing a diverse, attractive and healthy community. Separate uses may be combined or mixed on a single lot in two ways. The first is vertical combination, where two different uses, such as retail on the first floor and housing above, are combined in one building. The second type of use integration is horizontal, where two uses that may be attached by a common wall, or detached on a single lot. For example, a professional office might be located along the side of a house, or in a garage in the rear. The combination of allowed uses is presented in an easy to understand graphic matrix, with additional clarifying notes attached.

### **Lot & Building Types Matrix**

The Lot & Building Types Matrix describes the permitted Lot & Building Types within each Transect Zone. The matrix indicates which building types, described in the Lot & Building Standards below, are permitted outright or with certain conditions. The goal is to provide for a variety of buildings in each zone while fostering compatibility and an overall coherent development pattern.


## **The Lot & Building Standards**

The Village Gardens Lot & Building Standards (“Building Standards”) establish basic site and building design features. Building types are based on the traditional models prevalent in the region. Each lot & building type describes the physical constraints on the placement and configuration of three-dimensional building forms and façade elements, such as porches and balconies, on the lot. The Building Standards include detached, Accessory Buildings such as garages, and describe spaces for vehicle parking.

# THE MASTER PLAN (CONCEPTUAL) – UPDATED TO INCLUDE PHASE III.



# THE REGULATING PLAN – UPDATED 4-18-12



## R-3 AND B-3 LAND USES

### R-3 Permitted Uses, Conditional Uses and Special Permitted Uses

#### Permitted Uses:

A building or premises shall be permitted to be used for the following purposes in the R-3 Residential District:

- (a) Single-family dwellings (See Land Use Types Matrix; See Lot & Building Matrix);
- (b) Two-family dwellings (See Land Use Types Matrix; See Lot & Building Matrix);
- (c) Parks, playgrounds, and community buildings owned or operated by a public agency;
- (d) Public libraries;
- (e) Public elementary and high schools, or private schools having a curriculum equivalent to a public elementary or public high school and having no facilities regularly used for housing or sleeping purposes;
- (f) Nursery Garden Centers and Green Houses (See Land Use Types Matrix);
- (g) Civic or Community (See Land Use Types Matrix--Prohibited in Neighborhood General and Neighborhood Edge);
- (h) Workshop (See Land Use Types Matrix);
- (i) Retail (See Land Use Types Matrix--Prohibited in Neighborhood General and Neighborhood Edge);
- (j) Office (See Land Use Types Matrix);
- (k) Live-Work Unit (See Land Use Types Matrix; See Lot & Building Matrix--Prohibited in Neighborhood General and Neighborhood Edge);
- (l) Lodging (See Land Use Types Matrix--Prohibited in Neighborhood General and Neighborhood Edge);
- (m) Residential (See Land Use Types Matrix; See Lot & Building Matrix);
- (n) Secondary Dwelling Unit (See Land Use Types Matrix; See Lot & Building Matrix).

#### Conditional Uses:

A building or premises may be used for the following purposes in the R-3 Residential District in conformance with the conditions prescribed herein:

- (a) Churches:
  - (1) Parking shall be in conformance with the parking matrix as identified in the Village Gardens Development Plan.;
  - (2) The required front and side yards shall be landscaped in conformance with the standards adopted by resolution of the City Council;
  - (3) Required side and rear yards shall be five feet or the same as the district, (See Village Gardens Development Plan Section LOT & BUILDING STANDARDS for specifications of Community buildings)
  - (4) Buildings shall not cover more than ninety percent of the lot area.
- (b) Group homes:
  - (1) Group homes shall comply with all sign, height and area regulations of the district, and all provisions of the minimum standard housing ordinance. Parking shall be regulated in conformance with the provisions of Chapter 27.67;
  - (2) The distance between the proposed use and any existing group home measured from lot line to lot line is not less than one-half mile;
  - (3) Such use shall be permitted only so long as the facility continues to be validly licensed by the State of Nebraska.
- (c) Early childhood care facilities in churches:
  - (1) The parking and loading/unloading area for such facilities shall comply with the parking matrix as identified in the Village Gardens Development Plan.;
  - (2) Such facilities shall comply with all applicable state and local early childhood care requirements;
  - (3) Such facilities shall comply with all applicable building and life safety code requirements;
  - (4) Such facilities shall be fenced and have play areas that comply with the design standards for early childhood

## Village Gardens Development Standards

care facilities;

(5) Such facilities must receive a conditional use permit from the Department of Building and Safety.

(d) Domestic shelter:

(1) Parking shall be in conformance with Chapter 27.67;

(2) The maximum number of residents occupying such a facility shall not exceed one person per 2,000 square feet of lot area;

(3) The distance between the proposed use of any existing domestic shelter measured from lot line to lot line shall not be less than one mile.

(e) Early childhood care facilities with a maximum of fifteen children present at any time:

(1) The parking and loading/unloading area for such facilities shall comply with the provisions of Chapter 27.67 of the Lincoln Municipal Code and the design standards for early childhood care facilities;

(2) Such facilities shall comply with all applicable state and local early childhood care requirements;

(3) Such facilities shall comply with all applicable building and life safety code requirements;

(4) Such facilities shall be fenced and have play areas that comply with the design standards for early childhood care facilities;

(5) Such facilities shall be used as the permanent residence of the licensed childcare provider;

(6) Such facilities with thirteen or more children must receive a conditional use permit from the Department of Building and Safety;

(7) Early childhood care facilities located in mobile homes shall have a severe weather emergency action plan approved by the Health Department.

(f) Elderly or retirement housing; assisted living facility

(1) The parking and loading/unloading area for such facilities shall comply with the provisions of Chapter 27.67 of the Lincoln Municipal Code and the design standards for assisted living facilities;

(2) Such facilities shall comply with all applicable state and local assisted living facility requirements;

(3) Such facilities shall comply with all applicable building and life safety code requirements

### Special Permitted Uses:

A building or premises may be used for the following purposes in the R-3 Residential District if a special permit for such use has been obtained in conformance with the requirements of Chapter 27.63:

(a) Private schools, other than those permitted above;

(b) Health care facilities;

(c) Dwellings for members of religious orders;

(d) Mobile home courts;

(e) Recreational facilities;

(f) Church steeples, amateur radio antenna installations, towers, and ornamental spires which exceed the maximum district height;

(g) Broadcast towers;

(h) Extracting sand, gravel, and soil;

(i) Certain parking lots as defined in Chapter 27.63;

(j) Expansion of nonconforming uses;

(k) Historic preservation;

(l) Public utility purposes;

(m) Wind energy conversion systems;

(n) Mobile home subdivisions;

(o) Housing and related facilities for the physically handicapped;

(p) Outdoor seasonal sales;

(q) Cemeteries;

(r) Domiciliary care facility;

(s) Expansion of nonstandard single and two-family dwellings into required yards;

(t) Early childhood care facilities with sixteen or more children, or with fifteen or fewer children not meeting the specified

conditions for a permitted conditional use under Section 27.15.030;

- (u) Neighborhood support services;
- (v) Clubs;
- (w) Connection of single-family dwelling to accessory building for the physically handicapped;
- (x) Adult care centers.

### **B-3 Land Uses Permitted Uses, Conditional Uses and Special Permitted Uses**

#### **Permitted Uses:**

A building or premises shall be permitted to be used for the following purposes in the B-3 Commercial District:

- (a) Parks, playgrounds, and community buildings, owned or operated by a public agency;
- (b) Public libraries;
- (c) Public elementary and high schools, or private schools having a curriculum equivalent to a public elementary or public high school, and having no rooms regularly used for housing or sleeping purposes;
- (d) Churches;
- (e) Nonprofit religious, educational, and philanthropic institutions;
- (f) Banks, savings and loan associations, credit unions, and finance companies;
- (g) Barber shops, beauty parlors, and shoeshine shops;
- (h) Private schools, including but not limited to, business or commercial schools, dance or music academies, and nursery schools;
- (i) Adult care centers;
- (j) Hospitals and clinics for animals, but not open kennels;
- (k) Self-service laundromats, and laundrettes;
- (l) Receiving stores for dry cleaning or laundry;
- (m) Messenger and telegraph stations;
- (n) Office buildings; (See Land Use Types Matrix)
- (o) Restaurants;
- (p) Stores or shops for the sale of goods at retail; (See Land Use Types Matrix)
- (q) Undertaking establishments;
- (r) Photography studios;
- (s) Key shops;
- (t) Ambulance services;
- (u) Retail bakery;
- (v) Sales and showrooms, including service facilities and rental of equipment, provided all displays and merchandise are within the enclosure walls of the buildings;
- (w) Milk distribution stations, but not involving any bottling on the premises;
- (x) Food storage lockers;
- (y) Optical lens grinding and finishing;
- (z) Clubs;
- (aa) Parking lots and storage garages;
- (bb) Enclosed commercial recreational facilities;
- (cc) Motorcycle, bicycle, and home and office equipment, but not including vehicle body repair shops
- (dd) Mail order catalog sales;
- (ee) Tailor shops, shoe repair shops, upholstery shops, printing and photocopying shops, or other, similar business establishments.
- (ff) Health care facilities including:
  - (b) Convalescent or nursing home
  - (d) A facility for out-patient physical, occupational, or vocational therapy or rehabilitation
- (gg) Recreational facilities;
- (hh) Sale of alcoholic beverages for consumption on the premises;
- (ii) Sale of alcoholic beverages for consumption off the premises.
- (jj) Civic or Community (See Land Use Types Matrix--Prohibited in Neighborhood General and Neighborhood Edge);
- (kk) Workshop (See Land Use Types Matrix);
- (ll) Nursery Garden Centers and Green Houses (See Land Use Types Matrix);

Village Gardens Development Standards

- (mm) Live-Work Unit (See Land Use Types Matrix; See Lot & Building Matrix--Prohibited in Neighborhood General and Neighborhood Edge;
- (nn) Lodging (See Land Use Types Matrix);
- (oo) Residential (See Land Use Types Matrix; See Lot & Building Matrix);

**Conditional Uses:**

A building or premises may be used for the following purposes in the B-3 Commercial District in conformance with the conditions prescribed herein:

(a) Automobile wash facility:

- (1) Automatic, conveyor-operated: The length and location of vehicle stacking lane or lanes for the approach side or sides and the exit side or sides of the wash operation shall be in conformance with the "guidelines and regulations for driveway design and location" as adopted by the City of Lincoln. The stacking space shall not be located within the required front yard.
- (2) Self-service, coin-operated car wash: The car wash facility shall not exceed four wash bays. The length and location of vehicle stacking lane or lanes for the approach side or sides and the exit side or sides of the wash operation shall be in conformance with the "guidelines and regulations for driveway design and location" as adopted by the City of Lincoln. The stacking space shall not be located within the required front yard.

(b) Motels and hotels: A distance of at least twenty feet shall be maintained between buildings on the lot, and each hotel or motel unit shall have a minimum enclosed floor area of 200 square feet.

(c) Furnace, heating, sheet metal, electrical shops or electrical contractors, heating and air conditioning contractors, and cabinet shops or stores:

- (1) The floor area of said premises not devoted to sales or office space shall not exceed 8,000 square feet;
- (2) Not more than ten percent of the lot or tract occupied by the establishment shall be used for open and unenclosed storage of material and equipment;
- (3) All outside storage of material and equipment shall be screened by an opaque six-foot tall fence constructed of wood, or a substitute material found acceptable by the Director of Building and Safety.

(d) Tire stores and sales, including vulcanizing:

- (1) The floor area of said premises not devoted to sales or office space shall not exceed 4,000 square feet;
- (2) There shall be no manufacturing on the premises.

(e) Tailor shops, shoe repairing, upholstery shops, printing, photocopying, household appliances repairs, or similar business establishments; dyeing and drycleaning works; laundry; plumbing and water softener service shops. The floor area of said premises not devoted to sales or office space shall not exceed 4,000 square feet.

(f) Recycling center:

- (1) The building area of such center shall not exceed 4,000 square feet;
- (2) Adequate traffic stacking shall be provided on site as determined by the city;
- (3) All required parking shall be provided on site;
- (4) The facility shall not be designed to receive nor shall it accept shipments by semi-trailer trucks;
- (5) The construction and operation of such center shall comply with all applicable health and fire codes;

(g) Early childhood care facilities:

- (1) Such facilities shall comply with all applicable state and local early childhood care requirements;
- (2) Such facilities shall comply with all building and life safety code requirements;
- (3) Such facilities shall be fenced and have play areas that comply with the design standards for early childhood care facilities;
- (4) Such facilities must receive a conditional use permit from the Department of Building and Safety.

(h) Service stations and automobile or appliance sales and repair facilities, but not including vehicle body repair shops.

## Village Gardens Development Standards

- (1) No automobile or appliance sales and repair facility shall be permitted to locate within 100 feet of any residential use or district;
- (2) Any service station or automobile or appliance sales and repair facility located within 100 feet of any residential use or district which was lawfully established in this district on the effective date of this ordinance, shall screen the facility from such residential use or district by the use of an opaque fence six feet in height, constructed of wood, or of a substitute material found acceptable to the Director of Building and Safety subject to the provision of condition (3) below;
- (3) Any service station or automobile or appliance sales and repair facility located within 100 feet of any residential use or district which was lawfully established in this district on the effective date of this ordinance shall have until October 1, 2003 to be brought into compliance with condition (2) above;
- (4) The locational or screening requirements of (1), (2), and (3) above shall not apply when said residential use or district is across a public street from the service station or automobile or appliance sales and repair facility, but shall apply if said residential use or district is across an alley or private drive from the service station or automobile or appliance sales and repair facility;
- (5) Any service station lawfully established in this district, after the effective date of this ordinance, shall screen the facility from any residential use or district by the use of an opaque fence, six feet in height, constructed of wood or of a substitute material found acceptable to the Director of Building and Safety; provided that said screening requirement shall not apply when said residential use or district is across a public street from the service station, but shall apply if said residential use or district is across an alley or private drive from the service station.

### Special Permitted Uses:

A building or premises may be used for the following purposes in the B-3 Commercial District if a special permit for such use has been obtained in conformance with the requirements of Chapter 27.63:

- (a) Health care facilities;
  - (a) Hospitals
  - (b) A facility in which sixteen or more people reside while receiving therapy, counseling, or rehabilitation for physical, emotional, or mental disease or disability;
  - (c) Public health clinics and facilities;
  - (d) Ambulatory surgical care center which does not allow for overnight stay by patients. Ambulatory surgical center does not include an office or clinic used solely by a practitioner or group of practitioners in the practice of medicine, dentistry, or podiatry. Except as provided in (a) above, health care facilities does not include doctors' or dentists' professional offices and private clinics.
- (b) Church steeples, towers, and ornamental spires which exceed the maximum district height;
- (c) Broadcast towers;
- (d) Expansion of nonconforming use;
- (e) Historic preservation;
- (f) Public utility purposes;
- (g) Wind energy conversion systems;
- (h) Cemeteries;
- (i) Dwellings above the first story of a building which cannot meet the yard requirements of Section 27.33.080(g);

## THE TRANSECT ZONE MATRICES

### Land Use Types Matrix

Village Gardens features a mix of uses, all complementary to the goal of developing a healthy, affordable community. Instead of disconnected ‘pods’ of single-use activity, Village Gardens reflects traditional Midwestern small town form, with streets that may contain residential, retail and civic uses within a single block.

While the Village Center provides for the majority of commercial uses, the Neighborhood Center zone allows a range of land uses. The Neighborhood General and Edge zones allow only residential development and limited home occupation opportunities.

Transect Zones →

Shaded = Permitted Not Shaded = prohibited

Land Use Types →	Transect Zones →			
	Village Center (underlying B-3 district)	Neighborhood Center (underlying R-3 district)	Neighborhood General (underlying R-3 district)	Neighborhood Edge (underlying R-3 district)
Civic or Community		Sec Note 1	n/a	n/a
Workshop	Sec Note 2	Sec Note 3, 10	Sec Note 4, 10	Sec Note 4, 10
Retail		Sec Note 5	n/a	n/a
Nursery, Garden Center & Green Houses				
Office		Sec Note 6, 10	Sec Note 7, 10	Sec Note 7, 10
Live-Work Unit		Sec Note 10		
Lodging		Sec Note 8	Sec Note 8	Sec Note 8
Residential	Sec Note 11	Sec Note 11	Sec Note 11	Sec Note 11
Secondary Dwelling Unit	n/a	Sec Note 9	Sec Note 9	Sec Note 9
Assisted Living Facility				

#### Notes:

1. Civic or community uses or a church serving primarily Village Gardens residents and their guests.
2. Workshop uses only permitted in conjunction with retail sales within the same building. Workshop uses shall be located on the first floor and occupy at maximum the rear 75% of the building footprint or located in the basement of the building. Outdoor storage of manufacturing components or equipment is prohibited.
3. Workshop uses shall be limited to 600 sq. ft. in floor area. Workshop uses shall be located in an Accessory Building to the rear of the primary building, or shall be located on the first floor and occupy at maximum the rear 50% of the primary building footprint or located in the basement of the primary building. Outdoor storage of manufacturing components or equipment is prohibited. Workshop uses may operate in conjunction with first floor retail.
4. Workshop uses shall be limited to 600 sq. ft. in floor area. Workshop uses shall be located in an Accessory Building to the rear of the primary building, or shall be located on the first floor and occupy at maximum the rear 50% of the primary building footprint or located in the basement of the primary building. Outdoor storage of manufacturing components or equipment is prohibited. Product sales and signage shall be prohibited.
5. Retail uses are limited to 2,000 sq. ft. located on the first floor of a live/work building. A maximum of two live/work units may be connected to create up to 4,000 sq. ft. of retail uses. Permitted uses allow retail sales, personal services (such as hair salons), childcare facilities, and coffee shops or restaurants with a maximum of 40 seats. Signage permitted.

## Village Gardens Development Standards

6. Office uses are limited to 2,500 sq. ft. located primarily in a live/work building. A maximum of two live/work units may be connected to create up to 5000 sq. ft. of office uses. Point-of-service and signage permitted.
7. Office uses shall be limited to home occupations. A home occupation shall mean any office occupation or activity carried on within a dwelling unit or Accessory Building by a member of the family residing on the residential lot, which occupation or activity is incidental and secondary to the residential occupancy and does not change the residential character thereof. Home occupations shall be a maximum of 1000 sq. ft. in floor area, located either in an Accessory Building to the rear of the primary building, or in the primary building, occupying at maximum 50% of the building footprint. Point-of-service type offices shall be prohibited. Signage permitted.
8. Lodging shall be limited to bed & breakfast establishments with a maximum of four guest rooms. One additional parking space per guest room shall be required on-site. Signage is permitted.
9. Secondary dwelling units shall not exceed 1000 sq. ft. in floor area on lots with a width of 45 ft or more. On lots with a minimum width of less than 45 ft., the secondary dwelling units shall not exceed 600 sq. ft. and shall be located within an Accessory Building to the rear of the primary building. Secondary dwelling units shall have separate outside entrances.
10. Up to two non-family member employees may be employed and work on site. One on-site parking space per employee is required.
11. See Lot & Building Types Matrix for allowed residential uses.

## Lot & Building Types Matrix

Village Gardens provides a variety of lot and building types, from large detached houses around the perimeter to small cottages, attached row houses and apartments in the Neighborhood Center and Village Center zones. The mix of uses and building types provides the choices needed to create a neighborhood where people of different ages, incomes and families can live, work and play.

Transect Zones →

Shaded = Permitted Not Shaded = prohibited

Lot & Building Types →

Transect Zone/ Lot & Building Types	Village Center (underlying B-3 district)	Neighborhood Center (underlying R-3 district)	Neighborhood General (underlying R-3 district)	Neighborhood Edge (underlying R-3 district)
Type A – Rowhouse	n/a	See Note 1, 7	See Note 7	n/a
Type B – Townhouse	n/a	See Note 1,7	See Note 7	n/a
Type B/C - Bungalow Court	n/a	See Note 1, 7	See Note 7	n/a
Type C – Small SF	n/a	See Note 1,7	See Note 7	n/a
Type D – Medium SF	n/a	See Note 1,7	See Note 7	See Note 7
Type E – Large SF	n/a	n/a	See Note 7	See Note 7
Type F – MF Mansion	See Note 3	See Note 1, 3, 7	n/a	n/a
Type G – MF Apartment		See Note 4, 7	n/a	n/a
Type H – Civic or Community	See Note 2	See Note 2, 5	n/a	n/a
Type I – Mixed-Use	See Note 6	n/a	n/a	n/a
Type J – Assisted Living	n/a	See Note 8	See Note 8	See Note 8

### Notes:

1. Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.
2. Structures that are not fully enclosed having a footprint of less than 400 sq ft. and an overall height of less than 16 ft. shall be considered landscape elements.
3. Limited to 12 units per building in the Village Center; limited to 8 units per building in the Neighborhood Center.
4. Limited to lots between Yankee Hill Road and Chatsworth Lane.
5. Limited to Civic or Community uses serving primarily Village Gardens residents and their guests or a church. Civic or Community buildings shall be limited according to the Civic or Community use designation in the Land Use Types matrix.
6. Mixed-use buildings may occupy two or more of the following uses within the same building: retail, professional services, personal services, workshop, office, artisan, restaurant, lodging, childcare, professional business, governmental services, entertainment, recreational, residential and related accessory uses. Uses may be divided vertically or horizontally.
7. All residential lots along Pine Lake Road will have a setback of 20' from Pine Lake Road.
8. Permitted use on lots more than 10,000 sq. ft.

## **SIGNAGE & PARKING STANDARDS:**

### **Sign Information:**

The following requirements apply to the signage requirements in Village Gardens based on the Village Gardens PUD. If the requirement is not listed, the Village Gardens PUD is governed by the City of Lincoln code. Please refer to the Village Gardens Regulatory Modifications document for specific information on the alterations made to the City of Lincoln codes regarding Signage.

1. In the R-3 zoning districts, the specific regulations are as follows: In the Neighborhood Center areas, up to two on-premises wall signs or projecting signs per lot, each not to exceed eight square feet of sign area, used to identify commercial uses and home occupations. In the Neighborhood General and Neighborhood Edge areas, one on-premises wall sign per lot, not to exceed two square feet of sign area, nonilluminated and nonreflecting, used to identify home occupations. One on-premises wall sign per lot, not to exceed two square feet of sign area, nonilluminated and nonreflecting, used to identify transitional lot uses, block parents, the name of the premises or occupants thereof, or to provide similar information. Lighted vending machines are not permitted in view from off the premises. In the case of an assisted living facility, one ground sign of 32 square feet per side is permitted for street frontage. If facility abuts more than one street, one sign per street is approved. Lighting of the sign may be external or letters may be individually lit; no backlit signs will be permitted.
2. In the B-3 zoning districts, at the entrances abutting major arterials of the 'Village Center' usage area of Village Gardens, a ground sign identifying and advertising the Village Center businesses shall be permitted. Such sign shall not exceed 150 square feet and a height of 10 feet. In addition to the other allowed signs, one ground sign not more than 150 square feet in the height identifying and advertising the Village Center Businesses shall be permitted at each major arterial street entrance to the Village Center area of Village Gardens.
3. When part of a landscape screen approved by the Planning Director, the following ground signs, not exceeding twenty square feet in area or six feet in height and identifying a multiple-dwelling complex or subdivision area, may be located in the required front yard or building line district:
  - a. Up to two signs may be located at each entrance to the multiple-dwelling complex or subdivision area.
4. Directional, educational and informational signs may be attached to any natural object due to the nature and aesthetics of the Village Gardens project with the approval of the Planning Director.
5. 27.69.340 Permitted Signs for General Planned Unit Developments Subsection (a) is deleted. See B-3 and R-3 underlying zoning standards listed for Village Gardens PUD sign requirements as contained in the Development Plan for the applicable requirements.

**Parking matrix:**

The following matrix defines the parking requirements per lot and building type for easy reference. This information can also be found within the Lot & Building Standards.

Transect Zone/ Lot & Building Types	# of Parking Spaces per du	Min. Number of Parking Spaces per 100 sq. ft of largest seating area and per 600 sq. ft for other uses	Secondary Dwelling Unit requirements	Live-Work requirements
Type A – Rowhouse	1	n/a	No on-site parking required for secondary dwelling units	2 parking spaces are required per du.
Type B – Townhouse	2	n/a	No on-site parking required for secondary dwelling units	n/a
Type B/C - Bungalow Court	2	n/a	No on-site parking required for secondary dwelling units	n/a
Type C – Small SF	2	n/a	No on-site parking required for secondary dwelling units	n/a
Type D – Medium SF	2	n/a	No on-site parking required for secondary dwelling units	n/a
Type E – Large SF	2	n/a	No on-site parking required for secondary dwelling units	n/a
Type F – MF Mansion	1.5	n/a	n/a	n/a
Type G – MF Apartment	1.5	n/a	n/a	n/a
Type H – Civic or Community	n/a	1*	No on-site parking required for secondary dwelling units	n/a
Type I – Mixed-Use	1	1	n/a	n/a
Type J – Assisted Living	**	n/a	n/a	n/a

\*Total number of on-site parking stalls required for a combined Civic/Community use and Early Childhood Care Facility in the Neighborhood Center shall be 82 parking stalls based upon a 10,000 square foot area of largest assembly area and 270 children and 30 full time staff members.

\*\*Parking requirements per City of Lincoln Municipal Code and Design Standards.

**PM TRIP COUNT STANDARDS AND CALCUATIONS**


The Village Gardens Village Center will use the ‘Shopping Center’ PM Trip Count designation of 3.75 per 1000 square feet for all of the retail, restaurant and office uses (medical included) and .62 per dwelling unit for all residential and suite or business hotels with stated constraints below. The only restrictions for Village Gardens Village Center (B-3 zoned area) utilizing the Shopping Center PM Trip Count designation are:

- One bank with drive-thru
- No Restaurants WITH drive-thru. The only exception allowed are coffee shops with a drive-thru.
- No Gasoline/Service Stations with or without convenience market
- No large supermarkets over 60,000sf (like Russ’s, Hy-Vee, etc.)
- No sports bars over 4500 square feet
- No Big Box Retail stores including Discount Superstores, Discount Clubs or Home Improvement Superstores

# LOT & BUILDING STANDARDS

## How To Interpret Lot Diagrams

The Village Gardens Lot & Building Standards are designed to be user-friendly and understandable by developers, regulators, homebuilders and homeowners. Each building type is detailed in individual pages, with key diagrams such as the following to illustrate concepts that are difficult to adequately portray only in text form.





This diagram represents a site-section through the lot, and is primarily used to represent building heights. It is also useful for illustrating the lot standards 3-dimensionally.

Type X - Lot Standards	
A	Min. Lot Depth x ft.
B	Min. Lot Width x ft.
C	Min. Primary Street Setback x ft.
D	Min. Combined Side Yard Adjacent Lot Setback x ft.
E	Min. Side Street Setback x ft.
F	Min. Primary or Accessory Bldg. Rear Setback x ft.
G	Min. Accessory Bldg. Front Setback x ft.
H	Min. Accessory Bldg. Side Setback x ft.
I	Max. Primary Bldg. Height x ft.
J	Max. Accessory Bldg. Height x ft.
	Min. Number of On-Site Parking Spaces per Dwelling Unit x
	Secondary Dwelling Unit Y/N
	Y = permitted; N = prohibited
	Primary Building Entrance
	Note
	Allowable Encroachments: (Proper Sight Triangle must be maintained)
	Note
	Note
	Note

### Type A – Rowhouse

Rowhouses are attached single-family houses on individual platted lots. Rowhouses share common walls with one or more adjacent units. Rowhouse groups consist of a minimum of three units. Alleys in the rear of the lots provide vehicular access to Rowhouses. Front driveways and street facing garages are prohibited. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPES MATRIX:**

- Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.

Type A – Lot Standards	
A	Min. Lot Depth 80 ft.
B	Min. Lot Width (each unit) 18 ft.
C	Min. Primary Street Setback
	• Neighborhood Center 0 ft.
	• Neighborhood General 0 ft.
D	Min. Combined Side Yard Adjacent Lot Setback 5 ft.
	One side of end lots only. Setback on attached side shall be 0 ft.
	At corner lots, only the side street setback E shall be applied.
E	Min. Side Street Setback 5 ft.
F	Min. Primary or Accessory Bldg. Rear Setback 8 ft.
G	Min. Accessory Bldg. Front Setback n/a
H	Min. Accessory Bldg. Side Setback 2 ft.
	This setback may be waived if Accessory Buildings are attached.
I	Max. Primary Bldg. Height 40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.
J	Max. Accessory Bldg. Height 30 ft.
	<b>PARKING:</b>
	Min. Number of On-Site Parking Spaces per Dwelling Unit 1*
	No on-site parking required for secondary dwelling units. * If it is a live-work unit, 2 parking spaces are required per du.
	Secondary Dwelling Unit Y*
	Y = permitted; N = prohibited
	*Shall be limited to 600 sq. ft
	<b>Primary Building Entrance</b>
	The primary pedestrian building entrance shall be located along a public street, common walkway or park.
	Allowable Encroachments: (Proper Sight Triangle must be maintained)
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.
	All building setbacks and building encroachments shall provide the proper Sight Triangle.
	Driveways may encroach into all setbacks where curb cuts are permitted.

## Type B – Townhouse

Townhouses are attached single-family houses on individual platted lots. Townhouses share a common wall with one adjacent unit. Alleys in the rear of the lots provide vehicular access to Townhouses. Front driveways and street facing garages are prohibited. Attached or detached garages and shared driveways are permitted.





### NOTES FROM THE LOT & BUILDING TYPE MATRIX:

- Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.

Type B – Lot Standards			
A	Min. Lot Depth	80 ft.	
B	Min. Lot Width (each unit)	20 ft.	
C	Min. Primary Street Setback	• Neighborhood Center	0 ft.
		• Neighborhood General	0 ft.
D	Min. Combined Side Yard Adjacent Lot Setback	5 ft.	
	One side of end lots only. Setback on attached side shall be 0 ft.		
	At corner lots, only the side street setback E shall be applied.		
E	Min. Side Street Setback	5 ft.	
F	Min. Primary or Accessory Bldg. Rear Setback	8 ft.	
G	Min. Accessory Bldg. Front Setback	n/a	
H	Min. Accessory Bldg. Side Setback	This setback may be waived if Accessory Buildings are attached.	
			2 ft.
I	Max. Primary Bldg. Height	• Neighborhood Center	40 ft.
		• Neighborhood General	40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.		
J	Max. Accessory Bldg. Height	30 ft.	
	<b>PARKING;</b>		
	Min. Number of On-Site Parking Spaces per Dwelling Unit	2	
	No on-site parking required for secondary dwelling units		
	Secondary Dwelling Unit	Y*	
	Y = permitted; N = prohibited		
	*Shall be limited to 600 sq. ft		
	Primary Building Entrance		
	The primary pedestrian building entrance shall be located along a public street, common walkway or park.		
	Allowable Encroachments: (Proper Sight Triangle must be maintained)		
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.		
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.		
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.		
	All building setbacks and building encroachments shall provide the proper Sight Triangle.		
	Driveways may encroach into all setbacks where curb cuts are permitted.		

## Type B/C – Bungalow Court

Bungalow Courts are detached single-family dwelling units on individual platted lots situated around a shared outlet featuring shared landscaping and sidewalk system. Alleys in the rear of the lots provide vehicular access to Bungalow Courts. Front driveways and street facing garages are prohibited. Attached or detached garages and shared driveways are permitted.



Type B/C – Lot Standards	
A Min. Lot Depth	30ft.
B Min. Lot Width (each unit)	30 ft.
C Min. Primary Street Setback	
• Neighborhood Center	10 ft.
• Neighborhood General	10 ft.
D Min. Side Street Setback	5 ft.
E Min. Primary or Accessory Bldg. rear setback	8 ft.
Min. Primary or Accessory Bldg. rear, side, front setback	F
F from internal property line	3 ft.
G Min. Accessory Bldg. Side Setback	n/a
This setback may be waived if Accessory Buildings are attached.	
H Max. Primary Bldg. Height	
• Neighborhood Center	40 ft.
• Neighborhood General	40 ft.
Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
I Max. Accessory Bldg. Height	20 ft
<b>PARKING:</b>	
Min. Number of On-Site Parking Spaces per Dwelling Unit including outside parking in outlet areas	2
No on-site parking required for secondary dwelling units	
Secondary Dwelling Unit	N
Y = permitted; N = prohibited *Shall be limited to 600 sq. ft	
<b>Primary Building Entrance</b>	
The primary pedestrian building entrance shall be located along a public street, common walkway or park.	
<b>Allowable Encroachments: (Proper Sight Triangle must be maintained)</b>	
Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of a corner that is adjacent to an outlet property line.	
Uncovered decks, balconies & trellises may encroach into setbacks no closer than 0 ft. from a property line.	
All building setbacks and building encroachments shall provide the proper Sight Triangle.	
Driveways may encroach into all setbacks where curb cuts are permitted. Internal lot line shall be defined as a lot line that is adjacent to a bungalow court outlet or a shared lot line between two bungalow court lots.	

**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**



- ❑ Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.

**ADDITIONAL NOTES:**

- ❑ Driveways providing access to the Bungalow Court dwelling units will NOT be accessible from public streets or roadways. Such driveways will only be accessible from the alleyways.

### Type C – Small Single-Family

Small Single-Family Houses are the smallest type of detached residential units in Village Gardens. Small Single-Family Houses are located on intimate lots and have reduced side yards. Alleys in the rear of the lots provide vehicular access to Small Single-Family Houses. Front driveways and street facing garages are prohibited. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**  
 Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.

Type C – Lot Standards		
A	Min. Lot Depth	80 ft.
B	Min. Lot Width	35 ft.
C	Min. Primary Street Setback	
	• Neighborhood Center	10 ft.
	• Neighborhood General	15 ft.
D	Min. Combined Side Yard Adjacent Lot Setback	7 ft.
	Setback shall be a minimum of 3 ft. on one side.	
	At corner lots, the side street setback E shall be included in the calculation of D.	
E	Min. Side Street Setback	5 ft.
F	Min. Primary or Accessory Bldg. Rear Setback	8 ft.
G	Min. Accessory Bldg. Front Setback	n/a
H	Min. Accessory Bldg. Side Setback	3 ft.
	This setback may be waived if Accessory Buildings are attached.	
I	Max. Primary Bldg. Height	
	• Neighborhood Center	40 ft.
	• Neighborhood General	40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
J	Max. Accessory Bldg. Height	30 ft.
	<b>PARKING:</b>	
	Min. Number of On-Site Parking Spaces per Dwelling Unit	2
	No on-site parking required for secondary dwelling units	
	Secondary Dwelling Unit	Y*
	Y = permitted; N = prohibited	
	* Lots with less than 45 ft. wide shall be limited to 600 sq. ft in building size. Lots 45 ft wide are limited to 1000 sq. ft. in building size.	
	<b>Primary Building Entrance</b>	
	The primary pedestrian building entrance shall be located along a public street, common walkway or park.	
	<b>Allowable Encroachments: (Proper Sight Triangle must be maintained)</b>	
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.	
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 00 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.	
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.	
	All building setbacks and building encroachments shall provide the proper Sight Triangle.	
	Driveways may encroach into all setbacks where curb cuts are permitted.	

**Type D – Medium Single-Family**

Medium Single-Family Houses are midsized detached residential units. Medium Single-Family Houses are located on midsized lots and have useable side yards. Alleys in the rear of the lots or front driveways may provide vehicular access to Medium Single-Family Houses. However, if alley access is provided front driveways and street facing garages shall be prohibited. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**

None

Type D – Lot Standards		
A	Min. Lot Depth	80 ft.
B	Ave. Lot Width	60 ft.
C	Min. Primary Street Setback	
	Neighborhood Center	10 ft.
	Neighborhood General	15 ft.
	Neighborhood Edge	15 ft.
D	Min. Combined Side Yard Adjacent Lot Setback	10 ft.
	Setback shall be a minimum of 3 ft. on one side.	
	At corner lots, the side street setback E shall be included in the calculation of D.	
E	Min. Side Street Setback	5 ft.
F	Min. Primary or Accessory Bldg. Rear Setback	8 ft.
	May be reduced to 3 ft. if garage is front accessed.	
G	Min. Accessory Bldg. Front Setback	45 ft.
H	Min. Accessory Bldg. Side Setback	3 ft.
	This setback may be waived if Accessory Buildings are attached.	
I	Max. Primary Bldg. Height	
	• Neighborhood General	40 ft.
	• Neighborhood Edge	40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
J	Max. Accessory Bldg. Height	30 ft.
	<b>PARKING:</b>	
	Min. Number of On-Site Parking Spaces per Dwelling Unit	2
	No on-site parking required for secondary dwelling units	
	Secondary Dwelling Unit	Y*
	Y = permitted; N = prohibited	
	* Shall be limited to 1000 sq. ft.	
	<b>Primary Building Entrance</b>	
	The primary pedestrian building entrance shall be located along a public street, common walkway or park.	
	<b>Allowable Encroachments:</b> (Proper Sight Triangle must be maintained)	
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.	
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.	
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.	
	All building setbacks and building encroachments shall provide the proper Sight Triangle.	
	Driveways may encroach into all setbacks where curb cuts are permitted.	

### Type E – Large Single-Family

Large Single-Family Houses are the largest detached residential units in Village Gardens. Large Single-Family Houses are located on large lots that offer flexibility in building configuration and have generous front, side and back yards. Front driveways provide vehicular access to Large Single-Family Houses. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**  
 None

Type E – Lot Standards		
A	Min. Lot Depth	80 ft.
B	Ave. Lot Width	80 ft.
C	Min. Primary Street Setback	15 ft.
	Neighborhood General	15 ft.
	Neighborhood Edge	15 ft.
D	Min. Combined Side Yard Adjacent Lot Setback	15 ft..
	Setback shall be a minimum of 5 ft. on one side.	
	At corner lots, the side street setback E shall be included in the calculation of D.	
E	Min. Side Street Setback	10 ft.
F	Min. Primary or Accessory Bldg. Rear Setback	3 ft.
G	Min. Accessory Bldg. Front Setback	45 ft.
H	Min. Accessory Bldg. Side Setback	3 ft.
	This setback may be waived if garages are attached.	
I	Max. Primary Bldg. Height	40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
J	Max. Accessory Bldg. Height	30 ft.
<b>PARKING:</b>		
	Min. Number of On-Site Parking Spaces per Dwelling Unit	2
No on-site parking required for secondary dwelling units		
	Secondary Dwelling Unit	Y*
Y = permitted; N = prohibited * Shall be limited to 1000 sq. ft.		
<b>Primary Building Entrance</b>		
The primary pedestrian building entrance shall be located along a public street, common walkway or park.		
<b>Allowable Encroachments: (Proper Sight Triangle must be maintained)</b>		
Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.		
Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.		
Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.		
All building setbacks and building encroachments shall provide the proper Sight Triangle.		
Driveways may encroach into all setbacks where curb cuts are permitted.		

### Type F – Multi-Family Mansion

Multi-Family Mansions are the smallest multi-family buildings in Village Gardens. Multi-Family Mansions are designed to resemble large houses in order to be compatible with other residential building types. Multi-Family Mansions may have a minimum of 4 units per building in the Neighborhood Center zone, and a minimum of 6 units per building in the Village Center zone, but are limited to 12 units per building in the Village Center and limited to 8 units per building in the Neighborhood Center. Parking is located in small parking lots, carports or garage courts in the rear of the building, screened from public streets and walkways. Alleys in the rear of the lots or driveways off of side streets may provide vehicular access to Multi-Family Mansions. However, if alley access is provided direct street access shall be prohibited. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**

- ☐ Live/work units permitted. Commercial uses shall be limited according to the Land Use Types within this document.

Type F – Lot Standards	
A	Min. Lot Depth 80 ft.
B	Min. Lot Width 85 ft.
C	Min. Primary Street Setback
	• Village Center 0 ft.
	• Neighborhood Center 10 ft.
D	Min. Combined Side Yard Adjacent Lot Setback 20 ft.
	Setback shall be a minimum of 5 ft. on one side.
	At corner lots, the side street setback E shall be included in the calculation of D.
E	Min. Side Street Setback 10 ft.
F	Min. Primary or Accessory Bldg. Rear Setback 8 ft.
	May be reduced to 3 ft. if there is no alley access.
G	Min. Accessory Bldg. Front Setback 45 ft.
H	Min. Accessory Bldg. Side Setback 3 ft.
I	Max. Primary Bldg. Height
	• Village Center 40 ft.
	• Neighborhood Center 40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.
J	Max. Accessory Bldg. Height 30 ft.
<b>PARKING:</b>	
	Min. Number of On-Site Parking Spaces per Dwelling Unit 1.5
	Secondary Dwelling Unit N
	Y = permitted; N = prohibited
<b>Primary Building Entrance</b>	
The primary pedestrian building entrance shall be located along a public or private street, common walkway or park.	
Allowable Encroachments: (Proper Sight Triangle must be maintained)	
Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.	
Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.	
Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.	
All building setbacks and building encroachments shall provide the proper Sight Triangle.	
Driveways may encroach into all setbacks where curb cuts are permitted.	

### Type G – Multi-Family Apartment

Apartment Buildings are the highest density residential buildings in Village Gardens. Apartment Buildings may be configured in a variety of layouts, including U-shaped courtyard, L-shaped courtyard, or bar-shaped. Parking is located in parking lots in the rear of or between buildings, screened from public streets and walkways. Attached or detached garages and shared driveways are permitted.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**

- ☐ Apartments allowed in Village Center zone. In the Neighborhood Center this use is limited to lots between Yankee Hill Road and Chatsworth Lane in a future PUD.

Type G – Lot Standards	
A	Min. Lot Depth 80 ft.
B	Min. Lot Width 100 ft.
C	Min. Primary Street Setback
	• Village Center 0 ft.
	• Neighborhood Center 10 ft.
D	Min. Combined Side Yard Adjacent Lot Setback 20 ft.
	Setback shall be a minimum of 10 ft. on one side.
	At corner lots, the side street setback E shall be included in the calculation of D.
E	Min. Side Street Setback
	• Village Center 0 ft.
	• Neighborhood Center 10 ft.
F	Min. Rear Setback 10 ft.
G	Min. Accessory Bldg. Front Setback n/a
H	Min. Accessory Bldg. Side Setback n/a
I	Max. Primary Bldg. Height
	• Village Center 40 ft.
	• Neighborhood Center 40 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.
J	Max. Accessory Bldg. Height n/a
	<b>PARKING:</b>
	Min. Number of On-Site Parking Spaces per Dwelling Unit 1.5
	Secondary Dwelling Unit N
	Y = permitted; N = prohibited
	<b>Primary Building Entrance</b>
	The primary pedestrian building entrance shall be located along a public or private street, common driveway, common walkway or park.
	<b>Allowable Encroachments: (Proper Sight Triangle must be maintained)</b>
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property line.
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.
	All building setbacks and building encroachments shall provide the proper Sight Triangle.
	Driveways may encroach into all setbacks where curb cuts are permitted.

## Type H – Community

Community Buildings play a central role in the social life of local residents. They are given prominent sites, often terminating view corridors and therefore are required to have well-designed architectural emphasis on their public facades and include a main entrance on the public street or green. Community buildings may include special massing features, such as towers. In order to foster design creativity, these buildings have the least amount of zoning control, but will be subject to a special architectural design review to insure the highest quality design on important sites.





### NOTES FROM THE LOT & BUILDING TYPE MATRIX:

- ❑ Structures that are not fully enclosed, have a footprint of less than 400 sq ft. and an overall height of less than 16ft. shall be considered landscape elements.
- ❑ In the Neighborhood Center, Community buildings are limited to Civic or Community uses serving primarily Village Gardens residents and their guests or churches.

Type H – Lot Standards	
A Min. Lot Depth	80 ft.
B Min. Lot Width	n/a
C Min. Primary Street Setback	
• Village Center	0 ft.
• Neighborhood Center	5 ft.
D Min. Side Yard Adjacent Lot Setback	5 ft.
At corner lots, the side street setback E shall be included in the calculation of D.	
E Min. Side Street Setback	0 ft.
F Min. Primary or Accessory Bldg. Rear Setback	8 ft.
May be reduced to 3 ft. if there is no alley access.	
G Min. Accessory Bldg. Front Setback	45 ft.
H Min. Accessory Bldg. Side Setback	3 ft.
I Max. Primary Bldg. Height	
• Village Center	40 ft.
• Neighborhood Center	40 ft.
Tower elements of a maximum of 300 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 30 ft.	
J Max. Accessory Bldg. Height	30 ft.
<b>PARKING:</b>	
Refer to the parking matrix as identified in the Village Gardens Development Plan	
Secondary Dwelling Unit	Y
Y = permitted; N = prohibited	
<b>Primary Building Entrance</b>	
The primary pedestrian building entrance shall be located along a public or private street, common driveway, walkway or park.	
Allowable Encroachments: (Proper Sight Triangle must be maintained)	
Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.	
Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building. Any light well or egress window may be located in any required front, side or rear yard, provided: No such light well or egress window may be placed within two feet of any property Line.	
Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.	
All building setbacks and building encroachments shall provide the proper Sight Triangle.	
Driveways may encroach into all setbacks where curb cuts are permitted.	

### Type I – Mixed-Use

In the Village Center zone, higher density, mixed-use development forms the core of Village Gardens. Mixed-Use buildings, a common typology in small Midwestern main streets, feature ground floor storefront retail, offices or living units with walk-up apartments or offices on upper stories. Parking is located in parking lots, carports or garage courts in the rear of the building, screened from public streets and walkways. Alleys in the rear of the lots or driveways off of side streets may provide vehicular access. Drive thru's are permitted in the Village Center.





**NOTES FROM THE LOT & BUILDING TYPE MATRIX:**

- ❑ Mixed-use buildings may occupy two or more of the following uses within the same building: retail, professional services, personal services, workshop, office, artisan, restaurant, lodging, childcare, professional business, governmental services, entertainment, recreational, residential and related accessory uses. Uses may be divided vertically or horizontally.

Type I – Lot Standards		
A	Min. Lot Depth	n/a ft.
B	Min. Lot Width	n/a.
C	Min. Primary Street Setback	0 ft.
	Min. Combined Side Yard Adjacent Lot Setback	0 ft.
	At corner lots, the side street setback E shall be included in the calculation of D.	
E	Min. Side Street Setback	0 ft.
F	Min. Primary Accessory Bldg. Rear Setback	8 ft.
	May be reduced to 3 ft. if there is no alley access.	
G	Min. Accessory Bldg. Front Setback	45 ft.
H	Min. Accessory Bldg. Side Setback	3 ft.
	This setback may be waived if Accessory Buildings are attached.	
I	Max. Primary Bldg. Height	50 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
J	Max. Accessory Bldg. Height	30 ft.
	Max. Lot Coverage	100%
	<b>PARKING:</b>	
	Min. Number Parking Spaces per Dwelling Unit for residential	1
	Min. Number Parking Spaces per 600 sf. of commercial uses	1
	Parking shall be accommodated on-site or off-site as part of a cross-parking easement. On Street parking in the B-3 area is allowed to be counted in the B-3 area cross-parking easement.	
	Secondary Dwelling Unit	N
	Y = permitted; N = prohibited	
	<b>Primary Building Entrance</b>	
	The primary pedestrian building entrance shall be located along a public or private street, common driveway, common walkway or park.	
	Allowable Encroachments: (Proper Sight Triangle must be maintained)	
	Covered or uncovered porches or stoops may encroach into the front or side street setback no deeper than 12 ft. and no closer than 0 ft. from a property line.	
	Bay windows and other similar enclosed building elements may be no wider than 6 ft. and may encroach up to 2 ft. in setbacks no closer than 0 ft. from a property line. The bay windows must not encroach within 4 ft. of the corners of the primary building.	
	Uncovered decks, balconies & trellises may encroach into setbacks, no deeper than 8 ft. and no closer than 0 ft. from a property line.	
	All building setbacks and building encroachments shall provide the proper Sight Triangle.	
	Driveways may encroach into all setbacks where curb cuts are permitted.	

## Type J – Assisted Living

An Assisted Living facility houses individuals, not related, specifically for offering short term and long term care based on special needs. Such a facility can include and be labeled as an adult care facility, domiciliary care facility, Elderly or Retirement Housing, Health Care facility or Housing for physically Handicapped. Each of these facilities will have staff and guest parking equal or greater than the present city of Lincoln standards for such facilities.



Type J – Lot Standards		
A	Min. Lot Depth	n/a
B	Min. Lot Width	n/a
C	Min. Primary Street Setback	20 ft.
D	Min. Side Yard Setback	15 ft.
E	Min. Side Street Setback	15 ft.
F	Min. Primary Bldg. Rear Setback	20 ft.
	Min. Accessory Bldg. Rear Setback	3 ft.
G	Min. Accessory Bldg. Front Setback	45 ft.
H	Min. Accessory Bldg. Side Setback	8 ft.
	This setback may be waived if Accessory Buildings are attached.	
I	Max. Primary Bldg. Height	50 ft.
	Tower elements of a maximum of 200 sq. ft. in floor area shall be exempt of the height limit and may exceed the ridge height of the primary roof by a maximum of 10 ft.	
J	Max. Accessory Bldg. Height	30 ft.
	Max. Lot Coverage	75%
	<b>PARKING:</b>	
	per City of Lincoln municipal code and design standards	
	Parking shall be accommodated on-site .	
	Secondary Dwelling Unit	N
	Y = permitted; N = prohibited	
	<b>Primary Building Entrance</b>	
	The primary pedestrian building entrance shall be located along a public or private street, common driveway, common walkway or park.	
	Allowable Encroachments: (Proper Sight Triangle must be maintained)	
	All building setbacks and building encroachments shall provide the proper Sight Triangle.	
	Driveways may encroach into all setbacks where curb cuts are permitted.	

### NOTES FROM THE LOT & BUILDING TYPE MATRIX:

- Permitted use on lots more than 10,000 sq. ft.

## THE REGULATORY MODIFICATIONS

See Village Gardens Regulatory Modifications document for specific information on regulatory documents modified for the Village Gardens PUD, dated this even date and incorporated herein by this reference.

## THE PUD MAP SHEETS

See Village Gardens PUD Map Sheets (30"x42") prepared by Olsson Associates and dated this even date and incorporated herein by this reference.

## GLOSSARY

### **Alley:**

The vehicle passageway within a block, which provides access to accessory building and garbage bins along the rear edge of lots.

### **Accessory Building:**

A smaller, detached structure located in the rear of a lot. Accessory Buildings may contain the following uses: garage, home office, workshop, secondary dwelling units and accessory uses.

### **Accessory Use:**

An accessory use is one that is incidental to the main use.

### **Assisted Living Facility:**

A facility which houses individuals specifically for offering short term and long term care based on special needs. Such a facility can include and be labeled as an adult care facility, domiciliary care facility, Elderly or Retirement Housing, Health Care facility or Housing for physically Handicapped.

### **Average Lot Width:**

Average lot width shall mean the width determined by dividing the total lot area by the depth of the lot from the right-of-way line to the furthest rear lot line. If the rear lot line and right-of-way line are not parallel, an average depth dimension shall be used.

### **Bungalow Court:**

Two or more single-family dwelling units built on separate lots that are situated around a shared outlot with shared landscaping and sidewalk system.

### **Civic Use:**

Occupied building space used primarily for neighborhood use, public education, charity, cultural performance, gatherings, displays and accessory uses administered by non-profit neighborhood, cultural, educational, charitable and religious organizations.

### **Combined Side Yard Adjacent Lot Setback:**

The sum of the distances between the side lot lines and the side elevations of a building. Roof overhangs may encroach into the setback. On street corners, the Side Street Setback shall be included in the calculation.

### **Commercial Use:**

Occupied building space used for the conduct of retail, professional services, personal services, workshop, office, artisan, restaurant, lodging, childcare, professional business, governmental services, entertainment, recreational uses and accessory uses.

### **Façade:**

An elevation or 'face' of a building, from ground level to roofline.

### **Front Façade:**

The elevation with the main entrance to a building, usually facing a public street.

### **Home Occupation:**

A home occupation shall mean any office occupation or activity carried on within a dwelling unit or Accessory Building by a member of the family residing on the residential lot, which occupation or activity is incidental and secondary to the residential occupancy and does not change the residential character thereof.

### **Live/Work Unit:**

A building in single ownership that provides commercial uses on the first floor and a residential use dwelling unit on the upper floor(s). The owner may occupy the commercial space and reside in the dwelling unit, or the owner may lease or rent the commercial space or the dwelling together or separately.

**Lodging Use:**

Premises used for short-term human habitation and accessory uses. Food service may be included, unless otherwise prohibited.

**Lot:**

Lot shall mean a parcel of land occupied or intended for occupancy by a use permitted by the Development Plan and fronting on a permitted public or private street, common driveway, common walkway or park as described in the Lots and Building Standards.

**Lot Coverage:**

The maximum area of a lot that may be occupied by a structure. Lot coverage is expressed as a ratio. Open porches, decks, terraces, and stoops are excluded from the calculations.

**Mixed-Use Building:**

A single building that occupies two or more of the following use: retail, professional services, personal services, workshop, office, artisan, restaurant, lodging, childcare, professional business, governmental services, entertainment, recreational, residential and related accessory uses. Uses may be divided vertically or horizontally.

**Office Use:**

Premises used for services, including professional, financial, clerical, administrative, medical and accessory uses. Retail and manufacturing are excluded.

**Point-Of-Service:**

Office uses or services frequented by customers or clients.

**Primary Building:**

The principal building on a site, containing the primary residence or business. The primary building fronts on the primary street.

**Primary Street:**

When there are two streets abutting a lot, the primary street will be the street identified by the building's legal address.

**Primary Street Setback:**

The distance between the frontage line of a primary street and the front façade of a building.

**Rear Setback:**

The distance between the rear lot line and the rear wall of a building. Roof overhangs may encroach into the setback.

**Residential Use:**

Premises or dwelling used primarily for human habitation and related accessory uses.

**Retail Use:**

Premises used for the exchange of services or goods and accessory uses including but is not limited to, bicycle sales and repair shops and sale of alcoholic beverages for consumption on-premise and the sale of alcoholic beverages for consumption off-premises.

**Rowhouse:**

Attached single-family houses on individual platted lots. Rowhouses share common walls with one or more adjacent units.

**Side Street:**

When there are two streets abutting a lot, the primary street will be the street identified by the building's legal address and the side street will be the other abutting street.

**Secondary Dwelling Unit:**

Secondary Dwelling Units are located on the same lot as the primary dwelling unit and may be rented but not sold separately. Secondary dwelling units may be located within the primary building or within a Accessory Building to the rear of the primary building. Secondary dwelling units shall have separate outside entrances.

**Sight Triangle:**

The applicable Figure shown on Appendix A Sight Distance, City of Lincoln Design Standards, provided that, the Sight Triangle for Figure SD-2, Uncontrolled and Yield Controlled Intersections, shall be the crossed hatched areas marked a "area free of obstructions >30" high." (a triangular area comprised of two lot lines measured 25 feet from the intersecting corner of the lots, and the third leg, the hypotenuse, that connects the two 25 foot sides.

**Side Street Setback:**

The distance between the frontage line of a side street and the street facing side elevation of the building. Roof overhangs may encroach into the setback.

**Storefront:**

The portion of a building at the first story of a building that is made available for retail use. Storefronts shall be directly accessible from sidewalks.

## Village Gardens Development Standards

**Stoop:**

An entry platform on the frontage of a building. Stoops may be roofed but they need not necessarily be enclosed.

**Townhouse:**

Attached single-family houses on individual platted lot. A townhouse shares a common wall with one adjacent unit.

**Workshop Use:**

Premises used for the creation, assemblage, repair of goods and hobbies, including their retail sale, unless otherwise prohibited.