

BRIDGE STRUCTURE NO. 1 (INTERSTATE 80)





1. WATER LINE ELEVATIONS
DOWNSTREAM = 1144.21 AT THE SOUTHWEST BANK
UPSTREAM = 1146.23 AT THE NORTHEAST BANK
2. VERTICAL ABUTMENTS ARE CONCRETE WITH CONCRETE APRON
EAST BOUND I-80 = 2 PIERS THAT ARE 4.0 FEET WIDE
WEST BOUND I-80 = 2 PIERS THAT ARE 4.0 FEET WIDE
3. LOW STEEL IS 3.67 FEET BELOW THE ROAD SURFACE.
PAVING = 0.67 FEET THICK
"I" BEAM = 3.00 FEET WIDE
- NOTE: THERE IS A 0.08' GAP BETWEEN THE WEST BOUND I-80 DECK AND THE "I" BEAM.
4. ROADWAY PAVEMENT IS CONCRETE

BRIDGE STRUCTURE NO. 2 (OFF RAMP TO INTERSTATE 80)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1116.23 AT THE NORTHEAST BANK
UPSTREAM = 1115.91 AT THE NORTHEAST BANK
2. VERTICAL ABUTMENTS ARE CONCRETE
3. LOW STEEL IS 4.43 FEET BELOW THE ROAD SURFACE.
PAVING = 0.67 FEET THICK
CONCRETE "I" BEAM = 3.75 FEET WIDE
4. ROADWAY PAVEMENT IS CONCRETE

BENCHMARKS:

- BM#1 - BRASS CAP AT THE SOUTHWEST CORNER OF THE EAST BOUND INTERSTATE NO. 80 BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1150.50
- BM#2 - BRASS CAP AT THE NORTHEAST CORNER OF THE EAST BOUND INTERSTATE NO. 80 BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1151.94
- BM#3 - BRASS CAP AT THE SOUTHWEST CORNER OF THE WEST BOUND INTERSTATE NO. 80 BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1150.72
- BM#4 - BRASS CAP AT THE NORTHEAST CORNER OF THE WEST BOUND INTERSTATE NO. 80 BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1151.14
- BM#5 - BRASS CAP AT THE SOUTHWEST CORNER OF THE WEST BOUND INTERSTATE NO. 80 OFF RAMP BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1153.88
- BM#6 - BRASS CAP AT THE NORTHEAST CORNER OF THE EAST BOUND INTERSTATE NO. 80 OFF RAMP BRIDGE OVER LITTLE SALT CREEK, EAST OF NORTH 27TH STREET - ELEVATION = 1152.75



Proj No:	P2007/229.001	Revisions
Date:	07/17/2008	No
Designed By:	DAS	Date
Drawn By:	DAS	
Scale:	1" = 50'	
Sheet	1 of 1	

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURES NO. 1 AND 2
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eadog.com



Scale: 1" = 20'



- BRIDGE STRUCTURE NO. 3 (ARBOR ROAD)**
1. WATERLINE ELEVATIONS
DOWNSTREAM = 1115.81' AT THE WEST BANK
UPSTREAM = 1114.71' AT THE EAST BANK
 2. VERTICAL ABUTMENTS ARE CONCRETE WITH CONCRETE WINGWALLS.
2 SETS OF 7 ROUND COLUMNS 1.33' DIAMETER, 1 SET ON EITHER SIDE OF THE CREEK.
 3. BOTTOM OF CONCRETE BRIDGE SPAN IS 1.67' BELOW ROAD SURFACE WITH AN ADDITIONAL 1.25' SUPPORT OVER THE ABUTMENTS.
 4. ROADWAY PAVEMENT IS CONCRETE
- BENCHMARK:**
BRACED 60" NAIL IN THE SOUTH FACE OF THE POWER POLE AT THE NORTHWEST CORNER OF NORTH 27TH STREET AND ARBOR ROAD - ELEVATION = 1142.13



Proj No:	P2007/229.001	Revisions
Date:	07/17/2008	No
Designed By:	DAS	Date
Drawn By:	DAS	
Scale:	1" = 20'	
Sheet	1 of 1	

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 3
COUNTY CULVERT NO. F 201
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- BRIDGE STRUCTURE NO. 4 (WAVERLY ROAD)**
1. WATERLINE ELEVATIONS
DOWNSTREAM = 1139.04' AT THE EAST BANK
UPSTREAM = 1139.79' AT THE WEST BANK
 2. VERTICAL ABUTMENTS ARE CONCRETE WITH CONCRETE WINGWALLS.
 3. 2 - 1.5 WIDE CONCRETE PIERS.
 4. BOTTOM OF CONCRETE BRIDGE SPAN IS 1.25' BELOW ROAD SURFACE.
 5. ROADWAY PAVEMENT IS ASPHALT WITH CONCRETE BRIDGE DECK.
- BENCHMARK:**
CHISELED 'X' IN THE WINGWALL AT THE NORTHEAST CORNER OF THE FIRST BRIDGE EAST OF NORTHWEST 14TH STREET ALONG WAVERLY ROAD - ELEVATION = 1158.87'



BRIDGE STRUCTURE OPENING DETAIL
DOWNSTREAM LOOKING UPSTREAM

Revisions	
No	Date

Proj No: P2007/229.001
 Date: 08/19/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BRIDGE STRUCTURE NO. 4
 COUNTY CULVERT NO. F 197
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



Proj No:	P2007/229.001	Revisions
Date:	08/19/2008	No
Designed By:	DAS	Date
Drawn By:	DAS	
Scale:	1" = 20'	
Sheet	1 of 1	

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 6
COUNTY CULVERT NO. F 96
LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- BRIDGE STRUCTURE NO. 8 (WEST RAYMOND ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1163.42 AT THE EAST BANK
UPSTREAM = 1164.50 AT THE EAST BANK
 2. VERTICAL ABUTMENTS ARE CONCRETE WITH CONCRETE WING WALLS.
 3. BOTTOM OF METAL BEAM IS 3.0' BELOW ROAD SURFACE.
 - PAVING = .06 FEET THICK
METAL BEAM = 2.5 FEET WIDE
 4. ROADWAY PAVEMENT IS ASPHALT WITH CONCRETE BRIDGE DECK.
- BENCHMARK:**
CHISELED "X" ON THE NORTHEAST WINGWALL OF THE FIRST BRIDGE WEST OF NORTH 1ST STREET ON WEST RAYMOND ROAD - ELEVATION = 1174.18

Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/04/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 8
COUNTY CULVERT NO. C 91
LANCASTER COUNTY, NEBRASKA



E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES



330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'

- BRIDGE STRUCTURE NO. 9 (NORTHWEST 12TH STREET)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1180.34' AT THE SOUTH BANK
UPSTREAM = 1179.40' AT THE NORTH BANK
 2. VERTICAL ABUTMENTS ARE WOOD.
 3. BOTTOM OF WOOD BEAM IS 2.0' BELOW ROAD SURFACE.
 4. ROADWAY PAVEMENT IS WOOD.

BENCHMARK:
60" NAIL IN A 4"x4" WOOD POST AT THE NORTHWEST MARKER POST FOR THE GUARD RAIL OF THE WOOD BRIDGE. THE FIRST BRIDGE NORTH OF RAYMOND ROAD ON NORTHWEST 12TH STREET - ELEVATION 1187.10



BRIDGE STRUCTURE OPENING DETAIL
DOWNSTREAM LOOKING UPSTREAM
SCALE: 1" = 10'

Proj No: P2007/229.001

Revisions

Date: 08/05/2008

No. Date

Designed By:

Drawn By: DAS

Scale: 1" = 20'

Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 9
COUNTY CULVERT NO. C 172
LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'

- TWIN BOX CULVERT STRUCTURE NO. 12 (WEST DAVEY ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1209.20' AT THE NORTHEAST BANK
UPSTREAM = 1209.25' AT THE NORTHEAST BANK
 2. CONCRETE BOX OPENINGS MEASURE 12.0' TALL X 12.7' WIDE EACH SIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRASS CAP AT THE NORTHEAST CORNER OF THE FIRST BOX
CULVERT EAST OF 2751 WEST DAVEY ROAD - ELEVATION = 1223.16



Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/11/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 30'
Sheet 1 of 1


EXHIBIT

LITTLE SALT CREEK
TWIN BOX CULVERT STRUCTURE NO. 12
COUNTY CULVERT NO. C 227
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'




BRIDGE STRUCTURE NO. 13 (WEST ROCK CREEK ROAD)

- 1. WATER LINE ELEVATIONS
DOWNSTREAM = 1238.72 AT THE EAST BANK
UPSTREAM = 1239.15 AT THE EAST BANK
- 2. VERTICAL ABUTMENTS ARE WOOD WALLS WITH WOOD WING WALLS.
- 3. BOTTOM OF METAL SPAN IS 1.25 FEET BELOW ROAD SURFACE. BOTTOM OF SUPPORTS IS 2.0 FEET BELOW METAL SPAN.
PAVING = 0.5 FEET THICK
METAL SPAN = 0.85 FEET THICK
- 4. ROADWAY PAVEMENT GRAVEL, BRIDGE DECK IS CONCRETE.

BENCHMARK:

CHISELED "X" IN THE SOUTHEAST CORNER OF THE BRIDGE ABUTMENT, APPROXIMATELY 1.4 MILES WEST OF NORTH 15TH STREET ON WEST ROCK CREEK ROAD - ELEVATION = 1258.87



BRIDGE STRUCTURE OPENING DETAIL
DOWNSTREAM LOOKING UPSTREAM
SCALE: 1" = 10'

Proj No:	P2007.229.001	Revisions	
Date:	08/05/2008	No	Date
Designed By:	DAS		
Drawn By:	DAS		
Scale:	1" = 20'		
Sheet	1 of 1		

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 13
COUNTY CULVERT NO. C 220
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'




TWIN BOX CULVERT STRUCTURE NO. 24 (WEST MCKELVIE ROAD)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1207.79 AT THE FLOW LINE
UPSTREAM = 1207.83 AT THE FLOW LINE
2. CONCRETE BOX OPENINGS MEASURE 6.0' TALL X 8.0'
WIDE EACH SIDE WITH CONCRETE WING WALLS
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.

BENCHMARK:

THE WEST END OF THE SOUTH HEADWALL OF THE FIRST BOX
CULVERT WEST OF NORTH 1ST STREET ALONG WEST MCKELVIE
ROAD - ELEVATION = 1214.91



Revisions	
No	Date

Proj No: P2007.229.001
Date: 07/21/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1


EXHIBIT

LITTLE SALT CREEK
TWIN BOX CULVERT STRUCTURE NO. 24
COUNTY CULVERT NO. F 211
LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



- BOX CULVERT STRUCTURE NO. 25 (WEST BLUFF ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1249.88 AT THE FLOW LINE
UPSTREAM = 1250.05 AT THE FLOW LINE
 2. CONCRETE BOX OPENING MEASURES 6.0' TALL X 8.0' WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.
 5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F-167.
- BENCHMARK:**
BRACED 60" NAIL IN THE SOUTH FACE OF THE FIRST POWER POLE WEST OF 776 WEST BLUFF ROAD ON THE NORTH SIDE OF THE ROAD - ELEVATION = 1253.12



EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 25
COUNTY CULVERT NO. F 167
LANCASTER COUNTY, NEBRASKA



E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com


Revisions	
No	Date

Proj No: P2007/229.001
Date: 07/21/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1



Scale: 1" = 20'

- BOX CULVERT STRUCTURE NO. 27 (NORTH 14TH STREET)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1168.18 AT THE SOUTH BANK
UPSTREAM = 1173.05 AT THE SOUTH BANK
 2. CONCRETE BOX OPENING MEASURES 3.0' TALL X 6.0' WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS ASPHALT.
- BENCHMARK:**
BRACED 60° NAIL IN THE EAST FACE OF THE FIFTH POWER POLE NORTH OF ARBOR ROAD ON THE WEST SIDE OF NORTH 14TH STREET - ELEVATION = 1174.49



Revisions	
No	Date

Proj No: P2007.229.001
Date: 07/17/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 27
COUNTY CULVERT NO. F-79
LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



CULVERT PIPE STRUCTURE NO. 28 (NORTH 7TH STREET)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1182.65'
UPSTREAM = 1183.59'
2. STEEL PIPE WITH WEST END CRUSHED MEASURES 81" ACROSS AND 54" TALL
3. CONDITION OF THE BOX: POOR
4. PAVEMENT IS GRAVEL.

BENCHMARK:

5/8" REBAR (CONTROL PT #215) 1/4"+/- SOUTHWEST OF THE EAST END OF THE CULVERT PIPE - 31"+/- SOUTHEAST OF THE WEST END OF THE CULVERT PIPE - 7"+/- EAST OF THE EAST EDGE OF NORTH 7TH STREET AT CULVERT PIPE STRUCTURE 28 - ELEVATION = 1186.28

Revisions	
No	Date

Proj No: P2007.229.001
 Date: 07/17/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 CULVERT PIPE STRUCTURE NO. 28
 COUNTY CULVERT NO. F 154
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'

- TWIN BOX CULVERT STRUCTURE NO. 29 (NORTH 1ST STREET)**
1. WATER FLOW LINE ELEVATIONS
DOWNSTREAM = 1203.49'
UPSTREAM = 1205.24'
 2. CONCRETE BOX OPENING MEASURES 6.0' TALL X 10.0' WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.
 5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F-141.
- BENCHMARK:**
BRACED 60" NAIL IN THE EAST FACE OF THE FOURTH POWER POLE SOUTH OF 8633 NORTH 1ST STREET ON THE WEST SIDE OF THE ROAD - ELEVATION = 1215.48



LITTLE SALT CREEK
TWIN BOX CULVERT STRUCTURE NO. 29
COUNTY CULVERT NO. F 141
LANCASTER COUNTY, NEBRASKA

Revisions	
No	Date

Proj No: P2007.229.001
Date: 07/17/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'




BOX CULVERT STRUCTURE NO. 34 (NORTH 40TH STREET)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1193.71' AT FLOW LINE
UPSTREAM = 1195.30' AT FLOW LINE
2. CONCRETE BOX OPENING MEASURES 6.0' TALL X 12.0' WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.
5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT G44.

BENCHMARK:

STAR DRILL HOLE IN THE TOP OF THE CONCRETE HEADWALL OF THE FIRST CULVERT NORTH OF WAVERLY ROAD ALONG NORTH 40TH STREET - ELEVATION = 1203.82



Revisions	
No	Date

Proj No: P2007.229.001
Date: 07/28/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT



LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 34
COUNTY CULVERT NO. G 44
LANCASTER COUNTY, NEBRASKA



E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES
330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



BOX CULVERT STRUCTURE NO. 35 (NORTH 14TH STREET)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1180.92 AT THE NORTH BANK
UPSTREAM = 1182.05 AT THE FLOW LINE
2. CONCRETE BOX OPENING MEASURES 5.0' TALL X 7.0' WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS ASPHALT.
5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F-85.

BENCHMARK:

STAR DRILL HOLE IN THE TOP OF THE CONCRETE HEADWALL AT THE SOUTHWEST CORNER OF THE FIRST BOX CULVERT NORTH OF BLUFF ROAD ALONG NORTH 14TH STREET - ELEVATION = 1190.60

Revisions	
No	Date

Proj No: P2007/229.001
 Date: 07/31/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 35
 COUNTY CULVERT NO. F 85
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



- BRIDGE STRUCTURE NO. 36 (NORTH 14TH STREET)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1161.70' AT THE NORTH BANK
UPSTREAM = 1161.73' AT THE SOUTH BANK
 2. VERTICAL ABUTMENTS ARE CONCRETE WITH CONCRETE WING WALLS
 3. LOW STEEL IS 1.50 FEET BELOW THE ROAD SURFACE.
PAVING = 50 FEET THICK
STEEL FRAME = 1.00 FEET WIDE
 4. BRIDGE DECK IS CONCRETE AND ROADWAY PAVEMENT IS ASPHALT.

BENCHMARK:
BRACED 60" d" NAIL IN THE EAST FACE OF THE FIRST POWER POLE
NORTH OF 11505 NORTH 14TH STREET - ELEVATION = 1172.98

Revisions	
No	Date

Proj No: P2007/229.001
Date: 07/29/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BRIDGE STRUCTURE NO. 36
COUNTY CULVERT NO. F 86
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'




- CULVERT PIPE STRUCTURE NO. 39 (WAVERLY ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1204.74 AT THE WEST BANK
UPSTREAM = 1204.81 AT THE EAST BANK
 2. CORRUGATED METAL PIPE MEASURES 48"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRACED 80" NAIL IN THE EAST FACE OF THE POWER POLE AT THE SOUTHWEST CORNER OF THE INTERSECTION OF NORTH 1ST STREET AND WAVERLY ROAD - ELEVATION = 1216.32



Proj No:	P2007.229.001	Revisions	
Date:	07/31/2008	No	Date
Designed By:	DAS		
Drawn By:	DAS		
Scale:	1" = 20'		
Sheet	1 of 1		

EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 39
COUNTY CULVERT NO. F 191
LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'

- BOX CULVERT STRUCTURE NO. 41 (MAVERLY ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1145.29 AT THE WEST BANK
UPSTREAM = 1148.24' AT THE WEST BANK
 2. CONCRETE BOX OPENING MEASURES 6'0" TALL X 8'0" WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS ASPHALT.
- BENCHMARK:**
BRACED 60" NAIL IN THE NORTH FACE OF THE FIRST POWER POLE WEST OF 2120 MAVERLY ROAD, ON THE SOUTH SIDE OF THE ROAD - ELEVATION = 1156.74



Revisions	
No	Date

Proj No: P2007/229.001
 Date: 07/31/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 41
 COUNTY CULVERT NO. F 199
 LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'




BOX CULVERT STRUCTURE NO. 42 (MILL ROAD)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1156.09 AT THE WEST BANK
UPSTREAM = 1156.66 AT THE WEST BANK
2. CONCRETE BOX OPENING MEASURES 6'0" TALL X 10'0" WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.
5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F95.

BENCHMARK:

STAR DRILL HOLE IN THE NORTHEAST CORNER OF THE CONCRETE HEADWALL OF THE FIRST BOX CULVERT EAST OF NORTH 14TH STREET ALONG MILL ROAD - ELEVATION = 1164.81




Revisions	
No	Date

Proj No: P2007/229/001
 Date: 08/01/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 42
 COUNTY CULVERT NO. F 95
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



TRIPLE BOX CULVERT STRUCTURE NO. 43 (NORTH 14TH STREET)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1162.75 AT THE SOUTH BANK
UPSTREAM = 1164.09 AT THE SOUTH BANK
2. CONCRETE BOX OPENINGS MEASURE 7.0' TALL X 9.0' WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS ASPHALT
5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F-91.

BENCHMARK:
BRACED 80" MALL IN THE EAST FACE OF THE SECOND POWER POLE NORTH OF MILL ROAD ON THE WEST SIDE OF NORTH 14TH STREET - ELEVATION = 1170.35

Revisions	
No	Date

Proj No: P2007/229.001
Date: 08/01/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
TRIPLE BOX CULVERT STRUCTURE NO. 43
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com




Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 44 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1173.01' AT THE FLOW LINE
UPSTREAM = 1175.85' AT THE FLOW LINE
 2. CORRUGATED METAL PIPE MEASURES 96"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS ASPHALT.

BENCHMARK:
BRACED 80" NAIL IN THE NORTH FACE OF THE SECOND 18" TREE EAST OF LITTLE SALT CREEK ON THE SOUTH SIDE OF THE DRIVEWAY TO 14000 NORTHWEST 14TH STREET - ELEVATION = 1185.47



Proj No:	P2007/229.001
Date:	08/04/2008
Designed By:	DAS
Drawn By:	DAS
Scale:	1" = 20'
Sheet	1 of 1

No	Date

EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 44
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com




Scale: 1" = 20'



BOX CULVERT STRUCTURE NO. 47 (RAYMOND ROAD)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1178.08' AT THE WEST BANK
UPSTREAM = 1178.05' AT THE WEST BANK
2. CONCRETE BOX OPENING MEASURES 10.0' TALL X 11.0'
WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS ASPHALT.

BENCHMARK:
BRACED 60" NAIL IN THE NORTH FACE OF A WOOD FENCE
POST ON THE WEST SIDE OF THE SERVICE ROAD GATE ON
THE SOUTH SIDE OF RAYMOND ROAD. THE FIRST GATE EAST
OF 910 RAYMOND ROAD - ELEVATION = 1196.30



Revisions	
No	Date

Proj No: P2007/229.001
Date: 08/04/2008
Designed By:
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 47
COUNTY CULVERT NO. C 95
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 49 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1217.47' AT THE WEST BANK
UPSTREAM = 1218.13' AT THE EAST BANK
 2. CORRUGATED METAL PIPE MEASURES 54"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRACED 80" NAIL IN THE NORTH FACE OF THE SECOND LIGHT POLE WEST OF NORTH 14TH STREET ROAD ON THE SOUTH SIDE OF ROAD - ELEVATION = 1220.63



Revisions	
No	Date

Proj No: P2007.229.001
 Date: 08/11/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 CULVERT PIPE STRUCTURE NO. 49
 COUNTY CULVERT NO. NOT LISTED
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



BOX CULVERT STRUCTURE NO. 50 (NORTH 1ST STREET)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1169.67' AT THE SOUTH BANK
UPSTREAM = 1166.65' AT THE SOUTH BANK
2. CONCRETE BOX OPENING MEASURES 6.0' TALL X 10.0' WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.
5. MARKING IN CONCRETE ROOF STRUCTURE OF CULVERT F-25.

BENCHMARK:
BRACED 60" NAIL IN THE EAST FACE OF THE FIFTH POWER POLE SOUTH OF RAYMOND ROAD ALONG THE WEST SIDE OF NORTH 1ST STREET - ELEVATION = 1171.54

Revisions	
No	Date

Proj No: P2007/229.001
 Date: 08/01/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 50
 COUNTY CULVERT NO. F 25
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



CULVERT TWIN PIPE STRUCTURE NO. 51 (PRIVATE DRIVEWAY)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1180.26 AT THE FLOW LINE
UPSTREAM = 1181.19 AT THE FLOW LINE
2. TWIN CORRUGATED METAL PIPES MEASURE 36" EACH
3. CONDITION OF THE PIPE: GOOD
4. PAVEMENT IS GRAVEL.

BENCHMARK:

TOP OF THE SECOND 36" CMP OF A TWIN SET WEST OF NORTH 1ST STREET ON THE NORTH SIDE OF THE DRIVEWAY TO 14123 NORTH 1ST STREET - ELEVATION = 1183.36

Revisions	
No	Date

Proj No: P2007/229.001
 Date: 08/04/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 CULVERT TWIN PIPE STRUCTURE NO. 51
 COUNTY CULVERT NO. NOT LISTED
 LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 52 (NORTH 1ST STREET)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1186.06 AT THE FLOW LINE
UPSTREAM = 1186.34' AT THE FLOW LINE
 2. CORRUGATED METAL PIPE MEASURES 48"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRACED 80" NAIL IN THE EAST FACE OF THE SECOND POWER POLE SOUTH OF 15801 NORTH 1ST STREET ON THE WEST SIDE OF ROAD - ELEVATION = 1194.90



Proj No:	Revisions
P2007/229,001	
Date: 08/11/2008	No. Date
Designed By: DAS	
Drawn By: DAS	
Scale: 1" = 20'	
Sheet 1 of 1	

EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 52
COUNTY CULVERT NO. C 248
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- CULVERT TWIN PIPE STRUCTURE NO. 53 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1195.57 AT THE FLOW LINE
UPSTREAM = 1196.45 AT THE FLOW LINE
 2. TWIN CORRUGATED METAL PIPES MEASURE 36" EACH
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
TOP OF THE FIRST 36" CMP EAST OF NORTH 131ST STREET AND ON THE SOUTH SIDE OF GRAVEL DRIVEWAY TO 15700-15832 - ELEVATION = 1198.78



Proj No:	P2007.229.001
Date:	08/11/2008
Designed By:	DAS
Drawn By:	DAS
Scale:	1" = 20'
Sheet	1 of 1

Revisions	
No	Date

EXHIBIT

LITTLE SALT CREEK
CULVERT TWIN PIPE STRUCTURE NO. 53
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com




Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 54 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1208.74 AT THE FLOW LINE
UPSTREAM = 1213.96 AT THE EDGE OF POND
 2. CORRUGATED METAL PIPE MEASURES 18"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL AND GRASS.

BENCHMARK:
BRACED 80" NAIL IN THE EAST FACE OF THE FOURTH POWER POLE NORTH OF 19301 NORTH 1ST STREET ON THE WEST SIDE OF ROAD - ELEVATION = 1284.97



Proj No:	P2007.229.001
Date:	08/11/2008
Designed By:	DAS
Drawn By:	DAS
Scale:	1" = 20'
Sheet	1 of 1

Revisions	No	Date
-----------	----	------


EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 54
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com




Scale: 1" = 20'



- BOX CULVERT STRUCTURE NO. 57 (NORTHWEST 12TH STREET)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1244.65 AT THE NORTH BANK
UPSTREAM = 1244.23 AT THE NORTH BANK
 2. CONCRETE BOX OPENING MEASURES 6.25' TALL X 8.7'
WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.

BENCHMARK:
BRACED 80" NAIL IN THE EAST FACE OF THE SECOND POWER
POLE SOUTH OF 19100 NORTHWEST 12TH STREET ON THE
WEST SIDE OF ROAD - ELEVATION = 1258.86



Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/21/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 57
COUNTY CULVERT NO. C 167
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com




Scale: 1" = 20'



- BOX CULVERT STRUCTURE NO. 60 (WEST DAVEY ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1234.99 AT THE NORTH FLOW LINE
UPSTREAM = 1237.36 AT THE WEST BANK
 2. CONCRETE BOX OPENINGS MEASURE 6'0" TALL X 6'0" WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.

BENCHMARK:
60" TAIL IN THE SOUTH FACE OF THE THIRD POWER POLE
WEST OF 276 DAVEY ROAD ON THE NORTH SIDE OF THE
ROAD - ELEVATION = 1248.43



Revisions	
No	Date

Proj No: P2007.229.001
 Date: 08/08/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 60
 COUNTY CULVERT NO. C 234
 LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com




Scale: 1" = 20'



- BOX CULVERT STRUCTURE NO. 61 (WEST ROCK CREEK ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1262.76 AT THE FLOW LINE
UPSTREAM = 1263.53 AT THE WEST BANK
 2. CONCRETE BOX OPENINGS MEASURE 8.0' TALL X 8.0' WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.

BENCHMARK:
BRACED 80' NAIL IN THE NORTH FACE OF THE POWER POLE AT THE SOUTHWEST CORNER OF WEST ROCK CREEK ROAD AND NORTHWEST 12TH STREET - ELEVATION = 1265.59



Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/21/2008
Designed By:
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 61
COUNTY CULVERT NO. C 210
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 62 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1299.18 AT THE EAST BANK
UPSTREAM = 1299.73 AT THE EAST BANK
 2. CORRUGATED METAL PIPES MEASURES 30"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRACED 60" MALL IN THE EAST FACE OF THE FIRST 24" TREE WEST OF LITTLE SALT CREEK ON THE SOUTH SIDE OF THE GRAVEL DRIVEWAY TO 20400 NORTHWEST 12TH STREET - ELEVATION = 1304.64



Revisions	
No	Date

Proj No: P2007/229.001
 Date: 08/25/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 CULVERT PIPE STRUCTURE NO. 62
 COUNTY CULVERT NO. NOT LISTED
 LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



TWIN BOX CULVERT STRUCTURE NO. 66 (PRIVATE DRIVEWAY)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1196.02 AT THE WEST BANK
UPSTREAM = 1196.57 AT THE NORTH BANK
2. CONCRETE BOX OPENINGS MEASURE 5.75' TALL X 7.15'
WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.

BENCHMARK:

BRACED 80"Ø NAIL IN THE NORTH FACE OF THE FIRST POWER POLE EAST OF NORTHWEST 12TH STREET ON THE SOUTH SIDE OF WEST RAYMOND ROAD - ELEVATION = 1209.00

Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/13/2008
Designed By:
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
TWIN BOX CULVERT STRUCTURE NO. 66
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- BOX CULVERT STRUCTURE NO. 70 (WEST ROCK CREEK ROAD)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1278.67'
UPSTREAM = 1279.96' AT THE WEST BANK
 2. CONCRETE BOX OPENINGS MEASURE 7.0' TALL X 6.0' WIDE WITH CONCRETE WING WALLS.
 3. CONDITION OF THE BOX: GOOD
 4. PAVEMENT IS GRAVEL.
- BENCHMARK:**
BRACED 60"Ø NAIL IN THE EAST FACE OF THE 8TH POWER POLE EAST OF 3101 WEST ROCK CREEK ROAD, ON THE NORTH SIDE OF THE ROAD - ELEVATION = 1290.67'



Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/21/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
BOX CULVERT STRUCTURE NO. 70
COUNTY CULVERT NO. C 218
LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES


330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 71 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1200.44 AT THE SOUTH BANK
UPSTREAM = 1212.82 AT THE FLOWLINE OF THE OVERFLOW STRUCTURE
 2. CORRUGATED METAL PIPE MEASURES 24"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL AND GRASS.
- BENCHMARK:**
BRAGED 60"Ø NAIL IN THE EAST FACE OF A WOOD FENCE
POST 83'+, SOUTH ALONG GRAVEL DRIVEWAY FROM THE
OVERFLOW STRUCTURE - ELEVATION = 1225.99



EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 71
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA

Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/13/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1





E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com



Scale: 1" = 20'



BOX CULVERT STRUCTURE NO. 75 (MILL ROAD)

1. WATER LINE ELEVATIONS
DOWNSTREAM = 1219.85 AT THE EAST BANK
UPSTREAM = 1220.08 AT THE WEST BANK
2. CONCRETE BOX OPENING MEASURES 5.0' TALL X 5.0' WIDE WITH CONCRETE WING WALLS.
3. CONDITION OF THE BOX: GOOD
4. PAVEMENT IS GRAVEL.

BENCHMARK:

BRAGED 60° NAIL IN THE EAST FACE OF THE 6TH POWER POLE EAST OF NORTH 40TH STREET, ON THE NORTH SIDE OF MILL ROAD - ELEVATION = 1230.85

Revisions	
No	Date

Proj No: P2007/229.001
 Date: 08/21/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BOX CULVERT STRUCTURE NO. 75
 COUNTY CULVERT NO. G 164
 LANCASTER COUNTY, NEBRASKA





E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com



Scale: 1" = 20'



BRIDGE STRUCTURE OPENING DETAIL
DOWNSTREAM LOOKING UPSTREAM

- BRIDGE STRUCTURE NO. 78 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1242.35 AT THE SOUTH BANK
UPSTREAM = 1243.27 AT THE SOUTH BANK
 2. VERTICAL ABUTMENTS ARE WOOD WITH WOOD WING WALLS.
 3. BOTTOM OF WOOD BEAM IS 1.0' BELOW ROAD SURFACE.
 4. ROADWAY PAVEMENT IS GRAVEL. BRIDGE DECK IS WOOD.

BENCHMARK:
BRACED 80" NAIL IN THE EAST FACE OF THE WESTERLY WOOD POLE OF A PAIR OF WOOD POLES AT THE ENTRANCE TO THE SOUTH TRAIL (JUST NORTH OF THE BRIDGE STRUCTURE NO. 78) - ELEVATION 1255.35

Revisions	
No	Date

Proj No: P2007.229.001
 Date: 09/10/2008
 Designed By: DAS
 Drawn By: DAS
 Scale: 1" = 20'
 Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
 BRIDGE STRUCTURE NO. 78
 COUNTY CULVERT NO. NOT LISTED
 LANCASTER COUNTY, NEBRASKA




E&A CONSULTING GROUP, INC.
 ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
 PHONE: (402) 895-4700 FAX: (402) 895-3599
 www.eaog.com




Scale: 1" = 20'



- CULVERT PIPE STRUCTURE NO. 79 (PRIVATE DRIVEWAY)**
1. WATER LINE ELEVATIONS
DOWNSTREAM = 1242.55 AT THE FLOW LINE
UPSTREAM = 1243.11 AT THE FLOW LINE
 2. CORRUGATED METAL PIPES MEASURES 144"
 3. CONDITION OF THE PIPE: GOOD
 4. PAVEMENT IS GRAVEL.

BENCHMARK:
BRACED 80" NAIL IN THE EAST FACE OF THE WESTERLY WOOD POLE OF A PAIR OF WOOD POLES AT THE ENTRANCE TO THE SOUTH TRAIL (JUST NORTH OF THE BRIDGE STRUCTURE NO. 79) - ELEVATION 1255.35



Revisions	
No	Date

Proj No: P2007.229.001
Date: 08/25/2008
Designed By: DAS
Drawn By: DAS
Scale: 1" = 20'
Sheet 1 of 1

EXHIBIT

LITTLE SALT CREEK
CULVERT PIPE STRUCTURE NO. 79
COUNTY CULVERT NO. NOT LISTED
LANCASTER COUNTY, NEBRASKA



E&A CONSULTING GROUP, INC.
ENGINEERING • PLANNING • FIELD SERVICES

330 NORTH 117TH STREET OMAHA, NE 68154
PHONE: (402) 895-4700 FAX: (402) 895-3599
www.eaog.com

