

Appendix H

Capital Improvement Project

Prioritization Ranking

Worksheets

Content:

- CIP Prioritization Ranking Worksheets

This page left intentionally blank

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska			
Prepared By:	Mark Meyer, PE	Date:	1/21/14
Project ID:	MC 1	Watershed:	Middle Creek
Project Location:	Main stem 600 feet northeast of the Folsom St. and Rosa Parks's intersection.		
Project Description:	Grade Control Main Stem MCR005 Near S Folsom St and Rosa Parks Way		
Flooding Impacts**			
Projects primarily intended to address structural or non-structural flooding <u>will</u> always incorporate a high or low risk safety factor; though typically <u>will</u> not incorporate stream stability or water quality benefits.			
Flooding Benefits		Points, P _{FD}	
Major Structural Flooding Damage		30	
Minor Structural Flooding Damage		20	
Non-Structural Flooding	Streets / ROW, Other	15	
Conservation / Prevention	Easements / Acquisitions	10	
None		0	
		P _{FD} =	0
Flooding Frequency		Multiplier, C _{FF}	
Frequent Flooding	More frequent than 10-year storm	4	
Infrequent Flooding	Less frequent than 10-year storm	2	
None		0	
		C _{FF} =	0
		A = P _{FD} * C _{FF}	0
Stream Stability			
Projects primarily intended for stream stability typically <u>will</u> not incorporate flooding impact benefits; though <u>will</u> incorporate water quality benefits.			
Stream Stability Benefit		Points, P _{ET}	
Channel Erosion Threatening to Structures		50	
Channel Erosion Threatening to Public Infrastructure		40	
Channel Erosion Threatening to Natural Resources		35	
Conservation / Prevention		10	
Stream Stability benefit due to Flood Control or Water Quality Project		10	
None		0	
		P _{ET} =	35
Erosion Activity / Systemic Threat		Multiplier, C _{EA}	
Aggressive Erosion		3	
Non-Aggressive Erosion		2	
None		0	
		C _{EA} =	2
		B = P _{ET} * C _{EA}	70
Water Quality			
Projects primarily intended for water quality typically <u>will</u> not incorporate flooding impact benefits; though <u>may</u> incorporate stream stability benefits.			
Water Quality Benefits		Points, P _{WQ}	
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	
Regulatory Compliance / Stormwater Permit / NPDES		60	
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	
Conservation / Prevention		30	
Water Quality benefit due to Flood Control or Stream Stability Project		20	
None		0	
		P _{WQ} =	20
Project Benefit		Multiplier, C _{WB}	
Major Water Quality Benefit	Broad-Based Impacts	4	
Minor Water Quality Benefit	Localized Impacts	3	
None		0	
		C _{WB} =	3
		C = P _{WQ} * C _{WB}	60
Safety Factor			
Public Health and Safety		Points, P _{SF}	
High Risk	Potential Loss of Life or Bodily Injury	160	
Low Risk	Public Nuisance	60	
No Risk		0	
		P _{SF} =	60
		D = P _{SF}	60
Prioritization Ranking Summary			
			X = A + B + C + D
			190
Miscellaneous Factors may be used to adjust scoring:			
P _{MISC} (See attached worksheet for description of miscellaneous items)			30
May Include: Project Location, Coincident Projects, Development Status, etc.			
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)			0
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.			
TOTAL = X + P _{MISC} + P _{AC}			220
TOTAL for PROJECT MC 1			220
Comments or Description of Additional Considerations:			
**Flooding impacts were not analyzed as part of this CIP process.			

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	20
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	10
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			30

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska			
Prepared By:	Mark Meyer, PE	Date:	1/21/14
Project ID:	MC 2	Watershed:	Middle Creek
Project Location:	Tributary MC005R005 confluence 1,000 feet northwest of the Folsom and Rosa Parks intersection.		
Project Description:	Grade Control Tributary MC005R005 North of Rosa Parks Way and S Folsom St		

Flooding Impacts**
 Projects primarily intended to address structural or non-structural flooding will always incorporate a high or low risk safety factor; though typically will not incorporate stream stability or water quality benefits.

Flooding Benefits		Points, P _{FD}
Major Structural Flooding Damage		30
Minor Structural Flooding Damage		20
Non-Structural Flooding	Streets / ROW, Other	15
Conservation / Prevention	Easements / Acquisitions	10
None		0
P _{FD} =		0

Flooding Frequency		Multiplier, C _{FF}
Frequent Flooding	More frequent than 10-year storm	4
Infrequent Flooding	Less frequent than 10-year storm	2
None		0
C _{FF} =		0

	0
	0
A = P_{FD} * C_{FF}	0

Stream Stability
 Projects primarily intended for stream stability typically will not incorporate flooding impact benefits; though will incorporate water quality benefits.

Stream Stability Benefit		Points, P _{ET}
Channel Erosion Threatening to Structures		50
Channel Erosion Threatening to Public Infrastructure		40
Channel Erosion Threatening to Natural Resources		35
Conservation / Prevention		10
Stream Stability benefit due to Flood Control or Water Quality Project		10
None		0
P _{ET} =		35

Erosion Activity / Systemic Threat		Multiplier, C _{EA}
Aggressive Erosion		3
Non-Aggressive Erosion		2
None		0
C _{EA} =		2

	35
	2
B = P_{ET} * C_{EA}	70

Water Quality
 Projects primarily intended for water quality typically will not incorporate flooding impact benefits; though may incorporate stream stability benefits.

Water Quality Benefits		Points, P _{WQ}
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60
Regulatory Compliance / Stormwater Permit / NPDES		60
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50
Conservation / Prevention		30
Water Quality benefit due to Flood Control or Stream Stability Project		20
None		0
P _{WQ} =		20

Project Benefit		Multiplier, C _{WB}
Major Water Quality Benefit	Broad-Based Impacts	4
Minor Water Quality Benefit	Localized Impacts	3
None		0
C _{WB} =		3

	20
	3
C = P_{WQ} * C_{WB}	60

Safety Factor

Public Health and Safety		Points, P _{SF}
High Risk	Potential Loss of Life or Bodily Injury	160
Low Risk	Public Nuisance	60
No Risk		0
P _{SF} =		60

	60
D = P_{SF}	60

Prioritization Ranking Summary

	X = A + B + C + D	190
--	--------------------------	------------

Miscellaneous Factors may be used to adjust scoring:

P _{MISC} (See attached worksheet for description of miscellaneous items)		30
May Include: Project Location, Coincident Projects, Development Status, etc.		
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)		-25
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.		
TOTAL = X + P_{MISC} + P_{AC}		195
TOTAL for PROJECT MC 2		195

Comments or Description of Additional Considerations:

**Flooding impacts were not analyzed as part of this CIP process.

Due to the nature of this project the stream stability projects reduced by 25 points.

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	20
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	10
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			30

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska																											
Prepared By:	Mark Meyer, PE	Date:	1/21/14																								
Project ID:	MC 3	Watershed:	Middle Creek																								
Project Location:	Main stem northeast of the Rosa Parks and Homestead interchange.																										
Project Description:	Pipe Outfall Restoration and Erosion Protection Main Stem MCR010 along Rosa Parks Way																										
Flooding Impacts**																											
Projects primarily intended to address structural or non-structural flooding <u>will</u> always incorporate a high or low risk safety factor; though typically <u>will</u> not incorporate stream stability or water quality benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Benefits</th> <th>Points, P_{FD}</th> </tr> </thead> <tbody> <tr> <td>Major Structural Flooding Damage</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Minor Structural Flooding Damage</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>Non-Structural Flooding</td> <td>Streets / ROW, Other</td> <td style="text-align: center;">15</td> </tr> <tr> <td>Conservation / Prevention</td> <td>Easements / Acquisitions</td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{FD}=</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Benefits		Points, P _{FD}	Major Structural Flooding Damage		30	Minor Structural Flooding Damage		20	Non-Structural Flooding	Streets / ROW, Other	15	Conservation / Prevention	Easements / Acquisitions	10	None		0	P _{FD} =		0					
Flooding Benefits		Points, P _{FD}																									
Major Structural Flooding Damage		30																									
Minor Structural Flooding Damage		20																									
Non-Structural Flooding	Streets / ROW, Other	15																									
Conservation / Prevention	Easements / Acquisitions	10																									
None		0																									
P _{FD} =		0																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Frequency</th> <th>Multiplier, C_{FF}</th> </tr> </thead> <tbody> <tr> <td>Frequent Flooding</td> <td>More frequent than 10-year storm</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Infrequent Flooding</td> <td>Less frequent than 10-year storm</td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{FF}=</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Frequency		Multiplier, C _{FF}	Frequent Flooding	More frequent than 10-year storm	4	Infrequent Flooding	Less frequent than 10-year storm	2	None		0	C _{FF} =		0	<table style="width: 100%; border: none;"> <tr> <td style="border: none;">A = P_{FD} * C_{FF}</td> <td style="border: none; text-align: center;">0</td> </tr> <tr> <td style="border: none;">0</td> <td style="border: none; text-align: center;">0</td> </tr> <tr> <td style="border: none;">0</td> <td style="border: none; text-align: center;">0</td> </tr> </table>		A = P _{FD} * C _{FF}	0	0	0	0	0			
Flooding Frequency		Multiplier, C _{FF}																									
Frequent Flooding	More frequent than 10-year storm	4																									
Infrequent Flooding	Less frequent than 10-year storm	2																									
None		0																									
C _{FF} =		0																									
A = P _{FD} * C _{FF}	0																										
0	0																										
0	0																										
Stream Stability																											
Projects primarily intended for stream stability typically <u>will</u> not incorporate flooding impact benefits; though <u>will</u> incorporate water quality benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Stream Stability Benefit</th> <th>Points, P_{ET}</th> </tr> </thead> <tbody> <tr> <td>Channel Erosion Threatening to Structures</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Channel Erosion Threatening to Public Infrastructure</td> <td></td> <td style="text-align: center;">40</td> </tr> <tr> <td>Channel Erosion Threatening to Natural Resources</td> <td></td> <td style="text-align: center;">35</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>Stream Stability benefit due to Flood Control or Water Quality Project</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{ET}=</td> <td style="text-align: center; background-color: yellow;">35</td> </tr> </tbody> </table>		Stream Stability Benefit		Points, P _{ET}	Channel Erosion Threatening to Structures		50	Channel Erosion Threatening to Public Infrastructure		40	Channel Erosion Threatening to Natural Resources		35	Conservation / Prevention		10	Stream Stability benefit due to Flood Control or Water Quality Project		10	None		0	P _{ET} =		35		
Stream Stability Benefit		Points, P _{ET}																									
Channel Erosion Threatening to Structures		50																									
Channel Erosion Threatening to Public Infrastructure		40																									
Channel Erosion Threatening to Natural Resources		35																									
Conservation / Prevention		10																									
Stream Stability benefit due to Flood Control or Water Quality Project		10																									
None		0																									
P _{ET} =		35																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Erosion Activity / Systemic Threat</th> <th>Multiplier, C_{EA}</th> </tr> </thead> <tbody> <tr> <td>Aggressive Erosion</td> <td></td> <td style="text-align: center;">3</td> </tr> <tr> <td>Non-Aggressive Erosion</td> <td></td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{EA}=</td> <td style="text-align: center; background-color: yellow;">2</td> </tr> </tbody> </table>		Erosion Activity / Systemic Threat		Multiplier, C _{EA}	Aggressive Erosion		3	Non-Aggressive Erosion		2	None		0	C _{EA} =		2	<table style="width: 100%; border: none;"> <tr> <td style="border: none;">B = P_{ET} * C_{EA}</td> <td style="border: none; text-align: center;">35</td> </tr> <tr> <td style="border: none;">2</td> <td style="border: none; text-align: center;">2</td> </tr> <tr> <td style="border: none;">70</td> <td style="border: none; text-align: center;">70</td> </tr> </table>		B = P _{ET} * C _{EA}	35	2	2	70	70			
Erosion Activity / Systemic Threat		Multiplier, C _{EA}																									
Aggressive Erosion		3																									
Non-Aggressive Erosion		2																									
None		0																									
C _{EA} =		2																									
B = P _{ET} * C _{EA}	35																										
2	2																										
70	70																										
Water Quality																											
Projects primarily intended for water quality typically <u>will</u> not incorporate flooding impact benefits; though <u>may</u> incorporate stream stability benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Water Quality Benefits</th> <th>Points, P_{WQ}</th> </tr> </thead> <tbody> <tr> <td>Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Regulatory Compliance / Stormwater Permit / NPDES</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Create New Natural Resource Areas (Lakes, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Water Quality benefit due to Flood Control or Stream Stability Project</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{WQ}=</td> <td style="text-align: center; background-color: yellow;">20</td> </tr> </tbody> </table>		Water Quality Benefits		Points, P _{WQ}	Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	Regulatory Compliance / Stormwater Permit / NPDES		60	Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	Conservation / Prevention		30	Water Quality benefit due to Flood Control or Stream Stability Project		20	None		0	P _{WQ} =		20		
Water Quality Benefits		Points, P _{WQ}																									
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60																									
Regulatory Compliance / Stormwater Permit / NPDES		60																									
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50																									
Conservation / Prevention		30																									
Water Quality benefit due to Flood Control or Stream Stability Project		20																									
None		0																									
P _{WQ} =		20																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Project Benefit</th> <th>Multiplier, C_{WB}</th> </tr> </thead> <tbody> <tr> <td>Major Water Quality Benefit</td> <td>Broad-Based Impacts</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Minor Water Quality Benefit</td> <td>Localized Impacts</td> <td style="text-align: center;">3</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{WB}=</td> <td style="text-align: center; background-color: yellow;">3</td> </tr> </tbody> </table>		Project Benefit		Multiplier, C _{WB}	Major Water Quality Benefit	Broad-Based Impacts	4	Minor Water Quality Benefit	Localized Impacts	3	None		0	C _{WB} =		3	<table style="width: 100%; border: none;"> <tr> <td style="border: none;">C = P_{WQ} * C_{WB}</td> <td style="border: none; text-align: center;">20</td> </tr> <tr> <td style="border: none;">3</td> <td style="border: none; text-align: center;">3</td> </tr> <tr> <td style="border: none;">60</td> <td style="border: none; text-align: center;">60</td> </tr> </table>		C = P _{WQ} * C _{WB}	20	3	3	60	60			
Project Benefit		Multiplier, C _{WB}																									
Major Water Quality Benefit	Broad-Based Impacts	4																									
Minor Water Quality Benefit	Localized Impacts	3																									
None		0																									
C _{WB} =		3																									
C = P _{WQ} * C _{WB}	20																										
3	3																										
60	60																										
Safety Factor																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Public Health and Safety</th> <th>Points, P_{SF}</th> </tr> </thead> <tbody> <tr> <td>High Risk</td> <td>Potential Loss of Life or Bodily Injury</td> <td style="text-align: center;">160</td> </tr> <tr> <td>Low Risk</td> <td>Public Nuisance</td> <td style="text-align: center;">60</td> </tr> <tr> <td>No Risk</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{SF}=</td> <td style="text-align: center; background-color: yellow;">60</td> </tr> </tbody> </table>		Public Health and Safety		Points, P _{SF}	High Risk	Potential Loss of Life or Bodily Injury	160	Low Risk	Public Nuisance	60	No Risk		0	P _{SF} =		60	<table style="width: 100%; border: none;"> <tr> <td style="border: none;">D = P_{SF}</td> <td style="border: none; text-align: center;">60</td> </tr> </table>		D = P _{SF}	60							
Public Health and Safety		Points, P _{SF}																									
High Risk	Potential Loss of Life or Bodily Injury	160																									
Low Risk	Public Nuisance	60																									
No Risk		0																									
P _{SF} =		60																									
D = P _{SF}	60																										
Prioritization Ranking Summary																											
X = A + B + C + D			190																								
Miscellaneous Factors may be used to adjust scoring:																											
P _{MISC} (See attached worksheet for description of miscellaneous items)		30	30																								
May Include: Project Location, Coincident Projects, Development Status, etc.		0	0																								
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)		0	0																								
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.		TOTAL = X + P _{MISC} + P _{AC}																									
			220																								
TOTAL for PROJECT MC 3			220																								
Comments or Description of Additional Considerations:																											
**Flooding impacts were not analyzed as part of this CIP process.																											

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	20
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	10
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			30

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska																																									
Prepared By:	Mark Meyer, PE	Date:	1/21/14																																						
Project ID:	MC 4	Watershed:	Middle Creek																																						
Project Location:	Tributary paralleling S Coddington Avenue near Main stem confluence.																																								
Project Description:	Bank Stabilization and Grade Control Erosion along Tributary MC015R005																																								
Flooding Impacts**																																									
Projects primarily intended to address structural or non-structural flooding <u>will</u> always incorporate a high or low risk safety factor; though typically <u>will</u> not incorporate stream stability or water quality benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Benefits</th> <th>Points, P_{FD}</th> </tr> </thead> <tbody> <tr> <td>Major Structural Flooding Damage</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Minor Structural Flooding Damage</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>Non-Structural Flooding</td> <td>Streets / ROW, Other</td> <td style="text-align: center;">15</td> </tr> <tr> <td>Conservation / Prevention</td> <td>Easements / Acquisitions</td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{FD} =</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Benefits		Points, P _{FD}	Major Structural Flooding Damage		30	Minor Structural Flooding Damage		20	Non-Structural Flooding	Streets / ROW, Other	15	Conservation / Prevention	Easements / Acquisitions	10	None		0	P _{FD} =		0	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Frequency</th> <th>Multiplier, C_{FF}</th> </tr> </thead> <tbody> <tr> <td>Frequent Flooding</td> <td>More frequent than 10-year storm</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Infrequent Flooding</td> <td>Less frequent than 10-year storm</td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{FF} =</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>	Flooding Frequency		Multiplier, C _{FF}	Frequent Flooding	More frequent than 10-year storm	4	Infrequent Flooding	Less frequent than 10-year storm	2	None		0	C _{FF} =		0			
Flooding Benefits		Points, P _{FD}																																							
Major Structural Flooding Damage		30																																							
Minor Structural Flooding Damage		20																																							
Non-Structural Flooding	Streets / ROW, Other	15																																							
Conservation / Prevention	Easements / Acquisitions	10																																							
None		0																																							
P _{FD} =		0																																							
Flooding Frequency		Multiplier, C _{FF}																																							
Frequent Flooding	More frequent than 10-year storm	4																																							
Infrequent Flooding	Less frequent than 10-year storm	2																																							
None		0																																							
C _{FF} =		0																																							
		A = P _{FD} * C _{FF}	0																																						
Stream Stability																																									
Projects primarily intended for stream stability typically <u>will</u> not incorporate flooding impact benefits; though <u>will</u> incorporate water quality benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Stream Stability Benefit</th> <th>Points, P_{ET}</th> </tr> </thead> <tbody> <tr> <td>Channel Erosion Threatening to Structures</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Channel Erosion Threatening to Public Infrastructure</td> <td></td> <td style="text-align: center;">40</td> </tr> <tr> <td>Channel Erosion Threatening to Natural Resources</td> <td></td> <td style="text-align: center;">35</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>Stream Stability benefit due to Flood Control or Water Quality Project</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{ET} =</td> <td style="text-align: center; background-color: yellow;">40</td> </tr> </tbody> </table>		Stream Stability Benefit		Points, P _{ET}	Channel Erosion Threatening to Structures		50	Channel Erosion Threatening to Public Infrastructure		40	Channel Erosion Threatening to Natural Resources		35	Conservation / Prevention		10	Stream Stability benefit due to Flood Control or Water Quality Project		10	None		0	P _{ET} =		40	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Erosion Activity / Systemic Threat</th> <th>Multiplier, C_{EA}</th> </tr> </thead> <tbody> <tr> <td>Aggressive Erosion</td> <td></td> <td style="text-align: center;">3</td> </tr> <tr> <td>Non-Aggressive Erosion</td> <td></td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{EA} =</td> <td style="text-align: center; background-color: yellow;">2</td> </tr> </tbody> </table>	Erosion Activity / Systemic Threat		Multiplier, C _{EA}	Aggressive Erosion		3	Non-Aggressive Erosion		2	None		0	C _{EA} =		2
Stream Stability Benefit		Points, P _{ET}																																							
Channel Erosion Threatening to Structures		50																																							
Channel Erosion Threatening to Public Infrastructure		40																																							
Channel Erosion Threatening to Natural Resources		35																																							
Conservation / Prevention		10																																							
Stream Stability benefit due to Flood Control or Water Quality Project		10																																							
None		0																																							
P _{ET} =		40																																							
Erosion Activity / Systemic Threat		Multiplier, C _{EA}																																							
Aggressive Erosion		3																																							
Non-Aggressive Erosion		2																																							
None		0																																							
C _{EA} =		2																																							
		B = P _{ET} * C _{EA}	80																																						
Water Quality																																									
Projects primarily intended for water quality typically <u>will</u> not incorporate flooding impact benefits; though <u>may</u> incorporate stream stability benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Water Quality Benefits</th> <th>Points, P_{WQ}</th> </tr> </thead> <tbody> <tr> <td>Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Regulatory Compliance / Stormwater Permit / NPDES</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Create New Natural Resource Areas (Lakes, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Water Quality benefit due to Flood Control or Stream Stability Project</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{WQ} =</td> <td style="text-align: center; background-color: yellow;">20</td> </tr> </tbody> </table>		Water Quality Benefits		Points, P _{WQ}	Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	Regulatory Compliance / Stormwater Permit / NPDES		60	Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	Conservation / Prevention		30	Water Quality benefit due to Flood Control or Stream Stability Project		20	None		0	P _{WQ} =		20	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Project Benefit</th> <th>Multiplier, C_{WB}</th> </tr> </thead> <tbody> <tr> <td>Major Water Quality Benefit</td> <td>Broad-Based Impacts</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Minor Water Quality Benefit</td> <td>Localized Impacts</td> <td style="text-align: center;">3</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{WB} =</td> <td style="text-align: center; background-color: yellow;">3</td> </tr> </tbody> </table>	Project Benefit		Multiplier, C _{WB}	Major Water Quality Benefit	Broad-Based Impacts	4	Minor Water Quality Benefit	Localized Impacts	3	None		0	C _{WB} =		3
Water Quality Benefits		Points, P _{WQ}																																							
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60																																							
Regulatory Compliance / Stormwater Permit / NPDES		60																																							
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50																																							
Conservation / Prevention		30																																							
Water Quality benefit due to Flood Control or Stream Stability Project		20																																							
None		0																																							
P _{WQ} =		20																																							
Project Benefit		Multiplier, C _{WB}																																							
Major Water Quality Benefit	Broad-Based Impacts	4																																							
Minor Water Quality Benefit	Localized Impacts	3																																							
None		0																																							
C _{WB} =		3																																							
		C = P _{WQ} * C _{WB}	60																																						
Safety Factor																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Public Health and Safety</th> <th>Points, P_{SF}</th> </tr> </thead> <tbody> <tr> <td>High Risk</td> <td>Potential Loss of Life or Bodily Injury</td> <td style="text-align: center;">160</td> </tr> <tr> <td>Low Risk</td> <td>Public Nuisance</td> <td style="text-align: center;">60</td> </tr> <tr> <td>No Risk</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{SF} =</td> <td style="text-align: center; background-color: yellow;">60</td> </tr> </tbody> </table>		Public Health and Safety		Points, P _{SF}	High Risk	Potential Loss of Life or Bodily Injury	160	Low Risk	Public Nuisance	60	No Risk		0	P _{SF} =		60	D = P _{SF}	60																							
Public Health and Safety		Points, P _{SF}																																							
High Risk	Potential Loss of Life or Bodily Injury	160																																							
Low Risk	Public Nuisance	60																																							
No Risk		0																																							
P _{SF} =		60																																							
Prioritization Ranking Summary																																									
X = A + B + C + D			200																																						
Miscellaneous Factors may be used to adjust scoring:																																									
P _{MISC} (See attached worksheet for description of miscellaneous items)			50																																						
May Include: Project Location, Coincident Projects, Development Status, etc.			-30																																						
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)			-30																																						
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.			220																																						
TOTAL = X + P _{MISC} + P _{AC}			220																																						
TOTAL for PROJECT MC 4			220																																						
Comments or Description of Additional Considerations:																																									
**Flooding impacts were not analyzed as part of this CIP process.																																									
ADDITIONAL CONSIDERATION - initial scoring set this project as highest priority. The existing culvert at the low end of this project limits the incision and the erosion is progressing slowly. For this reason, points were removed.																																									

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	20
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	20
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	10
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			50

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska																											
Prepared By:	Mark Meyer, PE	Date:	1/21/14																								
Project ID:	MC 5	Watershed:	Middle Creek																								
Project Location:	Main stem reach located 3000 feet east of 40th street.																										
Project Description:	Grade Control Main Stem MCR020 East of SW 40th St																										
Flooding Impacts**																											
Projects primarily intended to address structural or non-structural flooding <u>will</u> always incorporate a high or low risk safety factor; though typically <u>will</u> not incorporate stream stability or water quality benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Benefits</th> <th>Points, P_{FD}</th> </tr> </thead> <tbody> <tr> <td>Major Structural Flooding Damage</td> <td></td> <td>30</td> </tr> <tr> <td>Minor Structural Flooding Damage</td> <td></td> <td>20</td> </tr> <tr> <td>Non-Structural Flooding</td> <td>Streets / ROW, Other</td> <td>15</td> </tr> <tr> <td>Conservation / Prevention</td> <td>Easements / Acquisitions</td> <td>10</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{FD}=</td> <td style="background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Benefits		Points, P _{FD}	Major Structural Flooding Damage		30	Minor Structural Flooding Damage		20	Non-Structural Flooding	Streets / ROW, Other	15	Conservation / Prevention	Easements / Acquisitions	10	None		0	P _{FD} =		0					
Flooding Benefits		Points, P _{FD}																									
Major Structural Flooding Damage		30																									
Minor Structural Flooding Damage		20																									
Non-Structural Flooding	Streets / ROW, Other	15																									
Conservation / Prevention	Easements / Acquisitions	10																									
None		0																									
P _{FD} =		0																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Frequency</th> <th>Multiplier, C_{FF}</th> </tr> </thead> <tbody> <tr> <td>Frequent Flooding</td> <td>More frequent than 10-year storm</td> <td>4</td> </tr> <tr> <td>Infrequent Flooding</td> <td>Less frequent than 10-year storm</td> <td>2</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{FF}=</td> <td style="background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Frequency		Multiplier, C _{FF}	Frequent Flooding	More frequent than 10-year storm	4	Infrequent Flooding	Less frequent than 10-year storm	2	None		0	C _{FF} =		0	<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%; text-align: right;">0</td> </tr> <tr> <td></td> <td style="text-align: right;">0</td> </tr> <tr> <td style="text-align: right;">A = P_{FD} * C_{FF}</td> <td style="text-align: right;">0</td> </tr> </table>			0		0	A = P_{FD} * C_{FF}	0			
Flooding Frequency		Multiplier, C _{FF}																									
Frequent Flooding	More frequent than 10-year storm	4																									
Infrequent Flooding	Less frequent than 10-year storm	2																									
None		0																									
C _{FF} =		0																									
	0																										
	0																										
A = P_{FD} * C_{FF}	0																										
Stream Stability																											
Projects primarily intended for stream stability typically <u>will</u> not incorporate flooding impact benefits; though <u>will</u> incorporate water quality benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Stream Stability Benefit</th> <th>Points, P_{ET}</th> </tr> </thead> <tbody> <tr> <td>Channel Erosion Threatening to Structures</td> <td></td> <td>50</td> </tr> <tr> <td>Channel Erosion Threatening to Public Infrastructure</td> <td></td> <td>40</td> </tr> <tr> <td>Channel Erosion Threatening to Natural Resources</td> <td></td> <td>35</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td>10</td> </tr> <tr> <td>Stream Stability benefit due to Flood Control or Water Quality Project</td> <td></td> <td>10</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{ET}=</td> <td style="background-color: yellow;">35</td> </tr> </tbody> </table>		Stream Stability Benefit		Points, P _{ET}	Channel Erosion Threatening to Structures		50	Channel Erosion Threatening to Public Infrastructure		40	Channel Erosion Threatening to Natural Resources		35	Conservation / Prevention		10	Stream Stability benefit due to Flood Control or Water Quality Project		10	None		0	P _{ET} =		35		
Stream Stability Benefit		Points, P _{ET}																									
Channel Erosion Threatening to Structures		50																									
Channel Erosion Threatening to Public Infrastructure		40																									
Channel Erosion Threatening to Natural Resources		35																									
Conservation / Prevention		10																									
Stream Stability benefit due to Flood Control or Water Quality Project		10																									
None		0																									
P _{ET} =		35																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Erosion Activity / Systemic Threat</th> <th>Multiplier, C_{EA}</th> </tr> </thead> <tbody> <tr> <td>Aggressive Erosion</td> <td></td> <td>3</td> </tr> <tr> <td>Non-Aggressive Erosion</td> <td></td> <td>2</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{EA}=</td> <td style="background-color: yellow;">2</td> </tr> </tbody> </table>		Erosion Activity / Systemic Threat		Multiplier, C _{EA}	Aggressive Erosion		3	Non-Aggressive Erosion		2	None		0	C _{EA} =		2	<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%; text-align: right;">35</td> </tr> <tr> <td></td> <td style="text-align: right;">2</td> </tr> <tr> <td style="text-align: right;">B = P_{ET} * C_{EA}</td> <td style="text-align: right;">70</td> </tr> </table>			35		2	B = P_{ET} * C_{EA}	70			
Erosion Activity / Systemic Threat		Multiplier, C _{EA}																									
Aggressive Erosion		3																									
Non-Aggressive Erosion		2																									
None		0																									
C _{EA} =		2																									
	35																										
	2																										
B = P_{ET} * C_{EA}	70																										
Water Quality																											
Projects primarily intended for water quality typically <u>will</u> not incorporate flooding impact benefits; though <u>may</u> incorporate stream stability benefits.																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Water Quality Benefits</th> <th>Points, P_{WQ}</th> </tr> </thead> <tbody> <tr> <td>Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)</td> <td></td> <td>60</td> </tr> <tr> <td>Regulatory Compliance / Stormwater Permit / NPDES</td> <td></td> <td>60</td> </tr> <tr> <td>Create New Natural Resource Areas (Lakes, Wetlands, etc.)</td> <td></td> <td>50</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td>30</td> </tr> <tr> <td>Water Quality benefit due to Flood Control or Stream Stability Project</td> <td></td> <td>20</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{WQ}=</td> <td style="background-color: yellow;">20</td> </tr> </tbody> </table>		Water Quality Benefits		Points, P _{WQ}	Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	Regulatory Compliance / Stormwater Permit / NPDES		60	Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	Conservation / Prevention		30	Water Quality benefit due to Flood Control or Stream Stability Project		20	None		0	P _{WQ} =		20		
Water Quality Benefits		Points, P _{WQ}																									
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60																									
Regulatory Compliance / Stormwater Permit / NPDES		60																									
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50																									
Conservation / Prevention		30																									
Water Quality benefit due to Flood Control or Stream Stability Project		20																									
None		0																									
P _{WQ} =		20																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Project Benefit</th> <th>Multiplier, C_{WB}</th> </tr> </thead> <tbody> <tr> <td>Major Water Quality Benefit</td> <td>Broad-Based Impacts</td> <td>4</td> </tr> <tr> <td>Minor Water Quality Benefit</td> <td>Localized Impacts</td> <td>3</td> </tr> <tr> <td>None</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{WB}=</td> <td style="background-color: yellow;">3</td> </tr> </tbody> </table>		Project Benefit		Multiplier, C _{WB}	Major Water Quality Benefit	Broad-Based Impacts	4	Minor Water Quality Benefit	Localized Impacts	3	None		0	C _{WB} =		3	<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%; text-align: right;">20</td> </tr> <tr> <td></td> <td style="text-align: right;">3</td> </tr> <tr> <td style="text-align: right;">C = P_{WQ} * C_{WB}</td> <td style="text-align: right;">60</td> </tr> </table>			20		3	C = P_{WQ} * C_{WB}	60			
Project Benefit		Multiplier, C _{WB}																									
Major Water Quality Benefit	Broad-Based Impacts	4																									
Minor Water Quality Benefit	Localized Impacts	3																									
None		0																									
C _{WB} =		3																									
	20																										
	3																										
C = P_{WQ} * C_{WB}	60																										
Safety Factor																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Public Health and Safety</th> <th>Points, P_{SF}</th> </tr> </thead> <tbody> <tr> <td>High Risk</td> <td>Potential Loss of Life or Bodily Injury</td> <td>160</td> </tr> <tr> <td>Low Risk</td> <td>Public Nuisance</td> <td>60</td> </tr> <tr> <td>No Risk</td> <td></td> <td>0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{SF}=</td> <td style="background-color: yellow;">60</td> </tr> </tbody> </table>		Public Health and Safety		Points, P _{SF}	High Risk	Potential Loss of Life or Bodily Injury	160	Low Risk	Public Nuisance	60	No Risk		0	P _{SF} =		60	<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="width: 50%; text-align: right;">60</td> </tr> <tr> <td style="text-align: right;">D = P_{SF}</td> <td style="text-align: right;">60</td> </tr> </table>			60	D = P_{SF}	60					
Public Health and Safety		Points, P _{SF}																									
High Risk	Potential Loss of Life or Bodily Injury	160																									
Low Risk	Public Nuisance	60																									
No Risk		0																									
P _{SF} =		60																									
	60																										
D = P_{SF}	60																										
Prioritization Ranking Summary																											
X = A + B + C + D			190																								
Miscellaneous Factors may be used to adjust scoring:																											
P _{MISC} (See attached worksheet for description of miscellaneous items)		20																									
May Include: Project Location, Coincident Projects, Development Status, etc.																											
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)		0																									
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.																											
TOTAL = X + P _{MISC} + P _{AC}			210																								
TOTAL for PROJECT MC 5			210																								
Comments or Description of Additional Considerations:																											
**Flooding impacts were not analyzed as part of this CIP process.																											

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	10
	Existing City Limits	10	10
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			20

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska																																									
Prepared By:	Mark Meyer, PE	Date:	1/21/14																																						
Project ID:	MC 6	Watershed:	Middle Creek																																						
Project Location:	Tributary MC60R015 at the West O culvert outfall 3,380 feet west of 63rd and West O intersection																																								
Project Description:	Stilling Basin at Perched W O St Culvert on Tributary MC60R015																																								
Flooding Impacts**																																									
Projects primarily intended to address structural or non-structural flooding will always incorporate a high or low risk safety factor; though typically will not incorporate stream stability or water quality benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Benefits</th> <th>Points, P_{FD}</th> </tr> </thead> <tbody> <tr> <td>Major Structural Flooding Damage</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Minor Structural Flooding Damage</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>Non-Structural Flooding</td> <td>Streets / ROW, Other</td> <td style="text-align: center;">15</td> </tr> <tr> <td>Conservation / Prevention</td> <td>Easements / Acquisitions</td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{FD}=</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>		Flooding Benefits		Points, P _{FD}	Major Structural Flooding Damage		30	Minor Structural Flooding Damage		20	Non-Structural Flooding	Streets / ROW, Other	15	Conservation / Prevention	Easements / Acquisitions	10	None		0	P _{FD} =		0	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Flooding Frequency</th> <th>Multiplier, C_{FF}</th> </tr> </thead> <tbody> <tr> <td>Frequent Flooding</td> <td>More frequent than 10-year storm</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Infrequent Flooding</td> <td>Less frequent than 10-year storm</td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{FF}=</td> <td style="text-align: center; background-color: yellow;">0</td> </tr> </tbody> </table>	Flooding Frequency		Multiplier, C _{FF}	Frequent Flooding	More frequent than 10-year storm	4	Infrequent Flooding	Less frequent than 10-year storm	2	None		0	C _{FF} =		0			
Flooding Benefits		Points, P _{FD}																																							
Major Structural Flooding Damage		30																																							
Minor Structural Flooding Damage		20																																							
Non-Structural Flooding	Streets / ROW, Other	15																																							
Conservation / Prevention	Easements / Acquisitions	10																																							
None		0																																							
P _{FD} =		0																																							
Flooding Frequency		Multiplier, C _{FF}																																							
Frequent Flooding	More frequent than 10-year storm	4																																							
Infrequent Flooding	Less frequent than 10-year storm	2																																							
None		0																																							
C _{FF} =		0																																							
		<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="text-align: center;">0</td> </tr> <tr> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: right;">A = P_{FD} * C_{FF}</td> <td style="text-align: center; background-color: black; color: white;">0</td> </tr> </table>		0		0	A = P_{FD} * C_{FF}	0																																	
	0																																								
	0																																								
A = P_{FD} * C_{FF}	0																																								
Stream Stability																																									
Projects primarily intended for stream stability typically will not incorporate flooding impact benefits; though will incorporate water quality benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Stream Stability Benefit</th> <th>Points, P_{ET}</th> </tr> </thead> <tbody> <tr> <td>Channel Erosion Threatening to Structures</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Channel Erosion Threatening to Public Infrastructure</td> <td></td> <td style="text-align: center;">40</td> </tr> <tr> <td>Channel Erosion Threatening to Natural Resources</td> <td></td> <td style="text-align: center;">35</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>Stream Stability benefit due to Flood Control or Water Quality Project</td> <td></td> <td style="text-align: center;">10</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{ET}=</td> <td style="text-align: center; background-color: yellow;">40</td> </tr> </tbody> </table>		Stream Stability Benefit		Points, P _{ET}	Channel Erosion Threatening to Structures		50	Channel Erosion Threatening to Public Infrastructure		40	Channel Erosion Threatening to Natural Resources		35	Conservation / Prevention		10	Stream Stability benefit due to Flood Control or Water Quality Project		10	None		0	P _{ET} =		40	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Erosion Activity / Systemic Threat</th> <th>Multiplier, C_{EA}</th> </tr> </thead> <tbody> <tr> <td>Aggressive Erosion</td> <td></td> <td style="text-align: center;">3</td> </tr> <tr> <td>Non-Aggressive Erosion</td> <td></td> <td style="text-align: center;">2</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{EA}=</td> <td style="text-align: center; background-color: yellow;">2</td> </tr> </tbody> </table>	Erosion Activity / Systemic Threat		Multiplier, C _{EA}	Aggressive Erosion		3	Non-Aggressive Erosion		2	None		0	C _{EA} =		2
Stream Stability Benefit		Points, P _{ET}																																							
Channel Erosion Threatening to Structures		50																																							
Channel Erosion Threatening to Public Infrastructure		40																																							
Channel Erosion Threatening to Natural Resources		35																																							
Conservation / Prevention		10																																							
Stream Stability benefit due to Flood Control or Water Quality Project		10																																							
None		0																																							
P _{ET} =		40																																							
Erosion Activity / Systemic Threat		Multiplier, C _{EA}																																							
Aggressive Erosion		3																																							
Non-Aggressive Erosion		2																																							
None		0																																							
C _{EA} =		2																																							
		<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="text-align: center;">40</td> </tr> <tr> <td></td> <td style="text-align: center;">2</td> </tr> <tr> <td style="text-align: right;">B = P_{ET} * C_{EA}</td> <td style="text-align: center; background-color: black; color: white;">80</td> </tr> </table>		40		2	B = P_{ET} * C_{EA}	80																																	
	40																																								
	2																																								
B = P_{ET} * C_{EA}	80																																								
Water Quality																																									
Projects primarily intended for water quality typically will not incorporate flooding impact benefits; though may incorporate stream stability benefits.																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Water Quality Benefits</th> <th>Points, P_{WQ}</th> </tr> </thead> <tbody> <tr> <td>Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Regulatory Compliance / Stormwater Permit / NPDES</td> <td></td> <td style="text-align: center;">60</td> </tr> <tr> <td>Create New Natural Resource Areas (Lakes, Wetlands, etc.)</td> <td></td> <td style="text-align: center;">50</td> </tr> <tr> <td>Conservation / Prevention</td> <td></td> <td style="text-align: center;">30</td> </tr> <tr> <td>Water Quality benefit due to Flood Control or Stream Stability Project</td> <td></td> <td style="text-align: center;">20</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{WQ}=</td> <td style="text-align: center; background-color: yellow;">20</td> </tr> </tbody> </table>		Water Quality Benefits		Points, P _{WQ}	Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	Regulatory Compliance / Stormwater Permit / NPDES		60	Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	Conservation / Prevention		30	Water Quality benefit due to Flood Control or Stream Stability Project		20	None		0	P _{WQ} =		20	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Project Benefit</th> <th>Multiplier, C_{WB}</th> </tr> </thead> <tbody> <tr> <td>Major Water Quality Benefit</td> <td>Broad-Based Impacts</td> <td style="text-align: center;">4</td> </tr> <tr> <td>Minor Water Quality Benefit</td> <td>Localized Impacts</td> <td style="text-align: center;">3</td> </tr> <tr> <td>None</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">C_{WB}=</td> <td style="text-align: center; background-color: yellow;">3</td> </tr> </tbody> </table>	Project Benefit		Multiplier, C _{WB}	Major Water Quality Benefit	Broad-Based Impacts	4	Minor Water Quality Benefit	Localized Impacts	3	None		0	C _{WB} =		3
Water Quality Benefits		Points, P _{WQ}																																							
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60																																							
Regulatory Compliance / Stormwater Permit / NPDES		60																																							
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50																																							
Conservation / Prevention		30																																							
Water Quality benefit due to Flood Control or Stream Stability Project		20																																							
None		0																																							
P _{WQ} =		20																																							
Project Benefit		Multiplier, C _{WB}																																							
Major Water Quality Benefit	Broad-Based Impacts	4																																							
Minor Water Quality Benefit	Localized Impacts	3																																							
None		0																																							
C _{WB} =		3																																							
		<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="text-align: center;">20</td> </tr> <tr> <td></td> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: right;">C = P_{WQ} * C_{WB}</td> <td style="text-align: center; background-color: black; color: white;">60</td> </tr> </table>		20		3	C = P_{WQ} * C_{WB}	60																																	
	20																																								
	3																																								
C = P_{WQ} * C_{WB}	60																																								
Safety Factor																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">Public Health and Safety</th> <th>Points, P_{SF}</th> </tr> </thead> <tbody> <tr> <td>High Risk</td> <td>Potential Loss of Life or Bodily Injury</td> <td style="text-align: center;">160</td> </tr> <tr> <td>Low Risk</td> <td>Public Nuisance</td> <td style="text-align: center;">60</td> </tr> <tr> <td>No Risk</td> <td></td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="text-align: right;">P_{SF}=</td> <td style="text-align: center; background-color: yellow;">60</td> </tr> </tbody> </table>		Public Health and Safety		Points, P _{SF}	High Risk	Potential Loss of Life or Bodily Injury	160	Low Risk	Public Nuisance	60	No Risk		0	P _{SF} =		60	<table style="width:100%;"> <tr> <td style="width: 50%;"></td> <td style="text-align: center;">60</td> </tr> <tr> <td style="text-align: right;">D = P_{SF}</td> <td style="text-align: center; background-color: black; color: white;">60</td> </tr> </table>		60	D = P_{SF}	60																				
Public Health and Safety		Points, P _{SF}																																							
High Risk	Potential Loss of Life or Bodily Injury	160																																							
Low Risk	Public Nuisance	60																																							
No Risk		0																																							
P _{SF} =		60																																							
	60																																								
D = P_{SF}	60																																								
Prioritization Ranking Summary																																									
			X = A + B + C + D																																						
			200																																						
Miscellaneous Factors may be used to adjust scoring:																																									
P _{MISC} (See attached worksheet for description of miscellaneous items)		0	0																																						
May Include: Project Location, Coincident Projects, Development Status, etc.		0	0																																						
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)		0	0																																						
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.		TOTAL = X + P _{MISC} + P _{AC}																																							
		200																																							
		TOTAL for PROJECT MC 6																																							
		200																																							
Comments or Description of Additional Considerations:																																									
**Flooding impacts were not analyzed as part of this CIP process.																																									

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	0
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			0

Prioritization Ranking for Watershed Master Plan Projects - DRAFT City of Lincoln, Nebraska			
Prepared By:	Mark Meyer, PE	Date:	1/21/14
Project ID:	MC 7	Watershed:	Middle Creek
Project Location:	Tributary located 2,170 feet west of 84th street and 130 feet north of I-80 outside of the interstate ROW.		
Project Description:	Grade Control Knickpoint and Stilling Basin at I-80 Culvert Outfall on Tributary MC070R005		
Flooding Impacts**			
Projects primarily intended to address structural or non-structural flooding will always incorporate a high or low risk safety factor; though typically will not incorporate stream stability or water quality benefits.			
Flooding Benefits		Points, P _{FD}	
Major Structural Flooding Damage		30	
Minor Structural Flooding Damage		20	
Non-Structural Flooding	Streets / ROW, Other	15	
Conservation / Prevention	Easements / Acquisitions	10	
None		0	
		P _{FD} =	0
Flooding Frequency		Multiplier, C _{FF}	
Frequent Flooding	More frequent than 10-year storm	4	
Infrequent Flooding	Less frequent than 10-year storm	2	
None		0	
		C _{FF} =	0
		A = P _{FD} * C _{FF}	0
Stream Stability			
Projects primarily intended for stream stability typically will not incorporate flooding impact benefits; though will incorporate water quality benefits.			
Stream Stability Benefit		Points, P _{ET}	
Channel Erosion Threatening to Structures		50	
Channel Erosion Threatening to Public Infrastructure		40	
Channel Erosion Threatening to Natural Resources		35	
Conservation / Prevention		10	
Stream Stability benefit due to Flood Control or Water Quality Project		10	
None		0	
		P _{ET} =	40
Erosion Activity / Systemic Threat		Multiplier, C _{EA}	
Aggressive Erosion		3	
Non-Aggressive Erosion		2	
None		0	
		C _{EA} =	3
		B = P _{ET} * C _{EA}	120
Water Quality			
Projects primarily intended for water quality typically will not incorporate flooding impact benefits; though may incorporate stream stability benefits.			
Water Quality Benefits		Points, P _{WQ}	
Enhance / Preserve Natural Resource Areas (Lake, Wetlands, etc.)		60	
Regulatory Compliance / Stormwater Permit / NPDES		60	
Create New Natural Resource Areas (Lakes, Wetlands, etc.)		50	
Conservation / Prevention		30	
Water Quality benefit due to Flood Control or Stream Stability Project		20	
None		0	
		P _{WQ} =	20
Project Benefit		Multiplier, C _{WB}	
Major Water Quality Benefit	Broad-Based Impacts	4	
Minor Water Quality Benefit	Localized Impacts	3	
None		0	
		C _{WB} =	3
		C = P _{WQ} * C _{WB}	60
Safety Factor			
Public Health and Safety		Points, P _{SF}	
High Risk	Potential Loss of Life or Bodily Injury	160	
Low Risk	Public Nuisance	60	
No Risk		0	
		P _{SF} =	60
		D = P _{SF}	60
Prioritization Ranking Summary			
		X = A + B + C + D	240
Miscellaneous Factors may be used to adjust scoring:			
P _{MISC} (See attached worksheet for description of miscellaneous items)			0
May Include: Project Location, Coincident Projects, Development Status, etc.			
P _{AC} , Additional Considerations (may be used to add or subtract up to 60 points)			0
May Include: Legal Issues, Jurisdictional Coordination, Complaints, Outside Funding Sources, Wildlife Benefits, etc.			
		TOTAL = X + P _{MISC} + P _{AC}	240
		TOTAL for PROJECT MC 7	240
Comments or Description of Additional Considerations:			
**Flooding impacts were not analyzed as part of this CIP process.			

Issues Addressed:

Structural and Non-Structural Flooding

Open Channel and Surface Erosion

Water Quality, Wetlands, Natural Habitat

Public Health and Safety

Project Location, Development Status, Coincident Projects, Condition / Maintenance, Downstream Impacts, Source Reduction, Additional Considerations

MISCELLANEOUS FACTORS - DRAFT

		Points Available	Points Assigned
Location	Public Property or willing owner of Private Property	up to 20	
Coincident with Adjacent Projects	Public Projects (water, sanitary, roads, etc.)	up to 20	
	Private Projects	up to 10	
Development Status (Points available are fixed, and are not flexible)	Tier I, Priority A	20	
	Tier I, Priority B	15	
	Tier I, Priority C	10	
	Existing City Limits	10	
	Tier II (development 25 - 50 years)	5	
	Tier III (development > 50 years)	0	0
<p>Tier I, Priority A - Areas designated for near term development are generally contiguous to existing development and should be provided first with basic infrastructure within 6 years of the adoption of the Plan. Some of the infrastructure required for development may already be in place. This area includes some land already annexed, with City commitments to fund infrastructure improvements, but the land is still undeveloped and without significant infrastructure in place yet. Some infrastructure improvements may be done in the near term while others, such as road improvements that are generally more costly, may take longer to complete.</p> <p>Tier I, Priority B - The next areas for development, beyond Priority A, are those which currently lack almost all of the infrastructure required to support development. In areas with this designation, the community will maintain present uses until urban development can commence. Infrastructure improvements to serve this area will not initially be included in the City's CIP, but will be actively planned for in the longer term capital improvement planning of the various city and county departments.</p> <p>Tier I, Priority C - This is the later phase of development areas and is intended to be served after Priority A and B. Given current growth rates and infrastructure financing, development would not begin in this area until after 2020 or 2025.</p>			
Total Miscellaneous Points, P_{MISC} =			0