Lincoln Fire Rescue

Preparing for the Unexpected

HEAVEN Criteria

HYPOXEMIA

EXTREMES IN SIZE



Vomit / BLOOD / FLUID

Exsanguination

N ECK MOBILITY / NEUROLOGIC INJURY

Credit: David Olvera

NEBF

ROSC Checklist

Stabilize/Protect Airway
Obtain a set of vitals - including 12-Lead and BGL if not already
obtained
VF/VT Alarm on LP15
Cardiac Alert if Applicable
Establish Secondary IV Access
Consider need for infusions (Amiodarone or Pressors)

PREPARATION/PLANNING			
 Monitoring equipment in place Consider fluid/vasopressors NC (≥15 LPM) + NRB/CPAP/BVM (≥15 LPM) 			
Tension Pneumothorax?Consider OPA / NPA x2 utilizationHOB elevated 30-35 degrees			
Sp02 > 93%? BVM w/ ETC02 & PEEP			
Any HEAVEN difficult intubation indications? Open C-collar			
EQUIPMENT			
Suction on and accessible + Fr. suction catheter Video laryngoscope turned on Induction agent and paralytics drawn with doses ETT(s) w/ syringe Bougie BVM w/ETCO2 & PEEP i-gel, surgical kit Tube securing device Stethoscope	confirmed		
INDUCTION/INTUBATION			
Designate clinician to monitor SP02 during attem Record pre intubation O2, ETCO2 + BP	npt		
Administer induction agent Administer paralytic => MARK "EVENT" Intubate ETT confirmed via ETC02 Waveform => MARK "EVENT" Breath sounds / No epigastric	ETCO2	ВР	
Record post intubation O2, ETCO2 + BP Record tube depth (Teeth or gums preferred) Tube secured	ETCO2	BP	
POST INTUBATION			
Pain management Sedation Reassess	Varsiani ta	March	
	Version: 4.0	March 2021	