Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
Great blue heron	Fall		This heron is likely to be found later in the fall, especially in the bed of	Larry Eineman
			Little Salt Creek	
_	4.4.000		An uncommon, post-	
Great egret	4-1-2003	1	breeding visitor to area from late spring to early fall	Larry Eineman
	8-1-1999	3		
	8-14-1999	3		
	8-20-1999	3		
	6-25-2000	1	A fairly common to	
	7-4-2000	1	uncommon summer resident	
Green heron	8-13-2000	5	and possible breeder.	Larry Eineman
	8-27-2000	4	Counts taken throughout	
	7-29-2001	3	IBA saline wetland areas.	
	5-4-2002	1		
	6-23-2002	1		
	4-17-2004	1		
	5-8-2004	1		
	7-10-2004	1		
	7-31-2004	4		
Yellow-crowned	8-1-1999	1	An uncommon to rare	Larry Eineman
night-heron	8-14-1999	1	summer visitor.	
	8-1-1999	43		
	8-14-1999	13		
	8-20-1999	8		
	8-28-1999	5	A fairly common summer	
	6-18-2000	1 adult & 7	resident and breeder, first	
		ducklings	coming into the area in late	
Wood duck	6-25-2000	1 adult & 9	March and with a few	Larry Eineman
		ducklings	lingering to mid-October.	
	8-6-2000	7	In 2002 and 2003 very few	
	3-25-2001	14	were observed due to the	
	3-31-2001	6	drought.	
	7-29-2001	9	_	
	9-2-2001	14		
	6-27-2004	1 adult & 5		
		ducklings		
	8-28-2004	2		

	Season			
Common Bird	Month/Day/Year	Count	Notes	Source
Name	of Observation	Numbers		
	11-1-1999	25		
	11-7-1999	72		
	3-12-2000	75		
	3-18-2000	35	A common spring and fall	
	3-26-2000	30	migrant with some	
	4-1-2000	75	occasional over-wintering in	
	4-2-2000	20	Little Salt Creek.	
	3-17-2002	20		
Green-winged teal	4-6-2002	38	The ponds and creek beds in	Larry Eineman
	11-30-2002	30	the area also attract small	
	3-11-2003	18	numbers of mallards,	
	10-5-2003	21	northern pintails, northern	
	10-18-2003	30	shovelers, American	
	12-6-2003	16	widgeons, redheads, lesser	
	1-24-2004	15	scaups, gadwalls, and	
	2-8-2004	17	buffleheads.	
	10-17-2004	19 29		
	10-24-2004	30		
	10-30-2004 8-1-1999	12		
	8-14-1999 8-14-1999	30	A common enring migrant	
Blue-winged teal	8-20-1999	24	A common spring migrant and fairly common summer	Larry Eineman
Bide-willged teal	8-28-1999	22	breeder, arriving by mid-	Larry Ememan
	4-1-2000	20	March and leaving the area	
	4-29-2000	20	by September	
	4-7-2001	70	бу верешвег	
	4-14-2001	52		
	4-6-2002	78		
	5-9-2004	6		
		-	An uncommon to rare	
Hooded merganser	3-25-2001	3	migrant	Larry Eineman
			A winter visitor occurring in	
			small numbers from late	
Northern harrier			August into March	Larry Eineman
			throughout the IBA saline	
			wetland areas.	
			A fairly common year-round	
Red-tailed hawk			resident and breeder	Larry Eineman
			throughout the IBA saline	
			wetland areas.	
D' 1 1			A fairly common year-round	I amount II'
Ring-necked			resident and breeder	Larry Eineman
pheasant			throughout the IBA saline	
			wetland areas.	

Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
Sora	5-6-2002	1	An uncommon to rare spring and fall migrant. Its secretive nature makes it difficult to detect and may be more common than indicated.	Larry Eineman
Virginia rails			Found in the area prior to 1999. They are even more difficult to find than soras	Larry Eineman
American coots			Fairly common migrants in the spring and fall throughout the IBA saline wetland areas. A few may breed locally. A common summer resident	Larry Eineman
Killdeer	7-31-2004	19	and breeder, arriving in the area in March and remaining in small numbers into October	Larry Eineman
Greater yellowlegs			An uncommon migrant during spring (late March to mid-May) and fall (August to mid-October) migration. Found throughout the IBA saline wetland areas.	Larry Eineman
Lesser yellowlegs	8-1-1999 8-14-1999 8-20-1999 5-7-2000 5-6-2001 5-13-2001 5-2-2004	6 7 6 10 9 15 5	A fairly common spring and fall migrant (late March to mid-May and from July to early October).	Larry Eineman
Solitary sandpiper	7-29-2000 8-6-2000 8-13-2000 8-27-2000 7-29-2001 8-11-2001 9-2-2001 8-7-2004 8-14-2004	6 3 5 5 2 6 4 3 4	An uncommon local migrant from late April to early May and from late June to early September. Little Salt Creek in the Arbor Lake area is one of the consistent sites where these shorebirds can be found.	Larry Eineman
Willet	5-13-2001	1	A rare to uncommon spring migrant.	Larry Eineman
Spotted sandpiper	8-20-1999 8-13-2000	4 5	A fairly common summer resident and breeder. This species is found in small numbers along Little Salt Creek from May through August.	Larry Eineman

Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
	8-1-1999	26	A fairly common late April	
Semipalmated	5-7-2000	30	and May and August to early	Larry Eineman
sandpiper	9-2-2001	6	September migrant.	,
1.1	8-14-1999	5		
	8-20-1999	7		
	8-28-1999	6	A common May and August	
	8-27-2000	5	and September migrant.	
Least sandpiper	8-18-2001	17	During drought this species	Larry Eineman
	9-2-2001	19	is likely to be found in Little	
	5-8-2004	23	Salt Creek west of Arbor	
	5-9-2004	25	Lake.	
	10-30-2004	3		
			A fairly common spring	
White-rumped	5-7-2000	25	migrant from late April to	Larry Eineman
sandpiper	5-9-2004	20	early June.	
Baird's sandpiper	4-6-2002	13	A fairly common early spring migrant (early April into May) and fall migrant (late	Larry Eineman
	8-1-1999	7	July to early October).	
Dantaud and daines	8-1-1999 8-28-1999	7	A fairly as many an Mary	I ama Einaman
Pectoral sandpiper	8-28-1999 5-7-2000	16 15	A fairly common May	Larry Eineman
	9-2-2001	8	migrant and August to September migrant.	
	9-2-2001	0	A fairly common May	
Stilt sandpiper	8-1-1999	15	migrant and August to	Larry Eineman
Stift sandpiper	5-7-2000	10	October fall migrant	Larry Ememan
	3-7-2000	10	A fairly common migrant	
	10-10-1999	6	found from April and early	
Wilson's snipe	11-7-1999	12	May and from late August	Larry Eineman
Wilson Sampe	11 / 1///	12	through late November	Early Ememan
			A fairly common to common	
Wilson's phalarope	5-6-2001	25	spring migrant from late April into May and less common migrant in the fall. A few may linger for breeding.	Larry Eineman
			An uncommon summer	
Yellow-billed	7-21-2001	1	resident and breeder from	Larry Eineman
cuckoo	6-29-2002	1	mid-May to early September	
			A fairly common summer	
Tree swallow	7-21-2001	50	resident and breeder at some	Larry Eineman
	8-24-2002	52	country sites.	
			A fairly common summer	
Northern rough-	7-29-2001	10	resident from late April	Larry Eineman
winged swallow	5-8-2004	4	through August and breeder	
			in the banks of Little Salt	
			Creek.	

Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
Cliff swallow	5-27-2000 6-4-2000 6-25-2000 7-4-2000 5-13-2001 5-26-2001 7-5-2001 7-8-2001 7-14-2001 7-21-2001 7-29-2001 8-11-2001	85 60 60 70 110 40 95 175 75 50 175 40	A common summer resident and breeder, especially in a culvert on north 27 th Street just north of Arbor Road	Larry Eineman
	8-18-2001 5-8-2004 6-27-2004 7-10-2004	50 50 150 55		
Barn swallow	9-16-2001 4-28-2002	125 30	A common summer resident and breeder from May through early October	Larry Eineman
Sedge wren	8-1-1999 8-14-1999 8-20-1999 8-28-1999 8-6-2000 10-14-2000 9-21-2003 10-18-2003 8-14-2004	6 3 1 1 3 1 1 1	An uncommon May migrant and August into October migrant with possible breeding occurring.	Larry Eineman
Marsh wren	9-21-2003	1	A fairly common spring migrant (late April into May) and fall migrant (September into October) and possible breeder.	Larry Eineman
Northern mockingbird	5 6 2001	1	A rare, erratic summer visitor	Larry Eineman
Mourning dove	5-6-2001	1	and rare, possible breeder. A common summer resident and breeder. A few generally overwinter. Found throughout the IBA saline wetland areas.	Larry Eineman
Common yellowthroat	6-4-2000 7-29-2001	5 10	A common summer resident and breeder, becoming less common in the fall during migration in August and September.	Larry Eineman
Blue grosbeak	8-26-1999	2	An uncommon to rare summer resident and possible breeder, suggesting fall migration.	Larry Eineman

Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
Dickcissel	6-4-2000 7-8-2001 7-21-2001	5 8 7	A common summer resident and breeder in the area arriving by mid-May and	Larry Eineman
	6-12-2004	6	leaving by late August A common winter visitor	
American tree sparrow	11-7-1999 3-3-2002	75 40	entering the area in late October and leaving by mid- April.	Larry Eineman
Clay-colored sparrow	5-6-2001	5	A fairly common May migrant becoming less common as a migrant in September and October.	Larry Eineman
Vesper sparrow	9-23-2001 10-4-2001 10-13-2002 10-20-2002 10-9-2004	1 2 3 1 2	An uncommon migrant (April and May) and fall migrant (September and October) in open spaces.	Larry Eineman
Savannah sparrow	10-20-2002 10-18-2003	4 20	A fairly common to common migrant (April into May) and fall migrant from late September to mid-November.	Larry Eineman
Grasshopper sparrow			A fairly common migrant (late April and May) becoming less common in the fall. Found throughout the IBA saline wetland areas.	Larry Eineman
Le Conte's sparrow	10-20-2002 10-18-2003	5 2	A fairly common migrant in October that is not seen too often during spring migration.	Larry Eineman
Nelson's sharp- tailed sparrow	9-26-1999 10-13-2002 10-20-2002 10-18-2003	1 2 5 2	An uncommon May migrant and late September into October migrant.	Larry Eineman
Swamp sparrow	9-28-2002 10-13-2002 10-20-2002 10-18-2003	1 1 2 2	An uncommon May migrant and fall migrant from late September into October.	Larry Eineman
Bobolink	6-4-2000 5-6-2001 6-15-2002	1 1 1	Occurs infrequently in the area from May into August and may breed occasionally.	Larry Eineman
Red-winged blackbird	3-25-2001 11-1-2001 11-11-2001 10-5-2003 10-18-2003 10-26-2003 5-2-2004	350 500 550 550 500 3,000 545	A common to abundant summer resident and breeder, occurring in small flocks from 25 to 200 during migration in March and April and from September into October.	Larry Eineman

Common Bird Name	Season Month/Day/Year of Observation	Count Numbers	Notes	Source
Eastern meadowlark			Fairly common to uncommon in area during the summer. Breeding occurs in the Arbor Lake wetland areas.	Larry Eineman
Western meadowlark	12-11-2004	14	A fairly common to common year-round resident and breeder. Found throughout the IBA saline wetland areas.	Larry Eineman
Yellow-headed blackbird	8-14-1999 8-20-1999 8-28-1999 5-6-2001 5-13-2001 6-23-2001	2 4 1 45 100 2	An uncommon migrant in the spring, becoming less common in the fall with a few breeding in the area.	Larry Eineman
Rusty blackbird	11-8-2003	3	An uncommon to rare autumn migrant with few overwintering in the county.	Larry Eineman
Brewer's blackbird Great-tailed grackle	4-28-2002 4-28-2001 6-3-2001	17 25 13	A rare to uncommon spring migrant. An uncommon to fairly common summer resident and breeder with a few overwintering.	Larry Eineman Larry Eineman
Brown-headed cowbird	9-21-2003 10-18-2003 10-26-2003	250 100 2,000	A common summer resident and breeder, occurring from April through September. Found throughout the IBA saline wetland areas.	Larry Eineman
Orchard oriole	7-29-2001 6-27-2004	6 2	A fairly common summer resident and breeder, especially along Little Salt Creek.	Larry Eineman
Baltimore oriole			A fairly common summer resident and breeder in the area, occurring from late April into early September. Found throughout the IBA saline wetland areas.	Larry Eineman